

CATALOGUE FOR 1852,

OF A FINE COLLECTION OF

FLORICULTURAL

VEGETABLE AND AGRICULTURAL SEEDS,

COMPRISING SPLENDID ASSORTMENTS OF

GERMAN ASTERS, STOCKS, ZINNIAS, &c.,
besides a numerous List of other established
favourites, and many new and rare Seeds.

In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the numbers without the names; but as the numbers are changed every year, it is absolutely necessary to say from the Catalogue for 1852.

Page 2 and 3 Necessary explanations.

4 German Flower Seeds.

5 Sundry Assortments.

6 to 26 Miscellaneous Flower Seeds.

Page

26 Packets of mixed Flower Seeds.

27 Flowering Bulbs.

28 to 31 Kitchen Garden and Fruit Seeds.

32 Agricultural Seeds.

THE

LIST OF VEGETABLE SEEDS

WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF

JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

Catalogues will be forwarded gratis and prepaid on application.

. The German Seeds are from the usual source.

A Catalogue of Dutch Bulbs will be published in due time.

January 1, 1852.

[Entered at Stationers' Hall.]

Gift of
Earl Blough
November 1957

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 6.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.

4th Column.—*Hardiness.*

- h. hardy—plants for the open borders.
 hh. half-hardy—such as require a hot-bed.
 t. tender—pot plants, require shifting.
 f. frame—require protection till May.
 g. greenhouse—greenhouse plants.
 s. stove or hothouse—stove plants.

Duration.

- A. annual—last one year.
 B. biennial—last two years.
 P. herbaceous perennial—last three or more.
 S. shrub, or under-shrub.
 Pb. perennial bulb or tuber.
 T. tree.

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hS. hardy shrub; hPb. hardy bulbous perennial; hT. hardy tree; hhA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; fA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove biennial; sP. stove perennial; sS. stove shrub; sPb. stove bulbous perennial.

5th Column.—*Colour of the flower.* The following are the principal abbreviations:

a. ash-grey.	er. crimson.	o. orange.	sl. slate.
ap. apetalous.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	p. purple.	stra. straw.
b. blue.	flsh. flesh.	peh. peach.	stri. striped.
blk. black.	gn. green.	pk. pink.	sul. sulphur.
blh. bluish.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	va. variegated.
bif. buff.	lem. lemon.	sul. suffron.	w. white.
car. carmine.	li. lilac.	s. scarlet.	y. yellow.
cin. cinnamon.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; b. w. y. blue, white and yellow; l. r. light red, &c. &c.

6th Column.—*Usual height of the plant in feet*; trai. trailer.

7th Column.—*Usual month of flowering*: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.

8th Column.—*Price per Packet.* 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked h frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require a moderate hot-bed and re-potting to bring them to perfection.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; sp. species, var. variety; lf. leaf; fr. fruit. The dots | ... | ... | ... | ... indicate a repetition; pl. pluria, many; ex, from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 6.)

The Linnean Classes are founded on the Sexual Organs.

Classes.	a. Stamens (male organs) equal.		c. Stamens united in sets.	
	No.	Stamens	No.	Stamens
	1.	Monandria . 1 stamen	16.	Monadelphia, 1 set
	2.	Diandria . 2 stamens	17.	Diadelphia, 2 sets
	3.	Triandria . 3 "	18.	Polyadelphia, many sets
	4.	Tetrandria . 4 "	d.	Compound Flowers (Asters, &c.).
	5.	Pentandria . 5 "	19.	Syngenesia
	6.	Hexandria . 6 "	c.	Stamens on the style.
	7.	Heptandria . 7 "	20.	Gynandria
	8.	Octandria . 8 "	f.	Male and female separated.
	9.	Enneandria . 9 "	21.	Monœcia, on one plant
	10.	Decandria . 10 "	22.	Diœcia, on different plants
	11.	Dodecandria 12 to 19 S. in the cup	g.	Male, female, and hermaphrodite flowers, on one or different plants.
	12.	Icosandria 20 or more S. on the base	23.	Polygamia, many marriages
	13.	Polyandria, many Stamens	h.	Flowers wanting, or incomplete.
		b. Stamens unequal.	24.	Cryptogamia, hidden marriages (Ferns, Mosses, &c.).
	14.	Didynamia, 2 long, 2 short		
	15.	Tetradynamia, 4 " 2 "		

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 6.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.

No. 25. Monogýnia	. 1 style
26. Digýnia	. 2 styles
27. Di-pentagýnia	2 to 5 "
28. Trigýnia	. 3 "
29. Tetragýnia	. 4 "
30. Pentagýnia	. 5 "
31. Hexagýnia	. 6 "
32. Heptagýnia	. 7 "
33. Decagýnia	. 10 "
34. Dodecagýnia	. 12 "
35. Polygýnia	many "
b. On the Stamens (male organs).	
36. Monan'dria	. 1 stamen
37. Diandria	. 2 stamens
38. Triandria	. 3 "
39. Tetrandria	. 4 "
40. Pentandria	. 5 "
41. Hexandria	. 6 "
42. Heptandria	. 7 "
43. Octandria	. 8 "
44. Enneandria	. 9 "
45. Decandria	. 10 "
46. Dodecandria	. 12 "
47. Icosandria	. 20 "
48. Polyandria	many "

c. On the sets of Stamens.

No. 49. Monadelphia, 1 set	
d. Styles and stamens united.	
50. Gynandria	
e. Male and female separate.	
51. Monœ'cia, on one plant	
52. Dice'cia, on different plants	
f. On the Polygamy.	
53. { Polygámia æqualis, or	
Equal Polygamy	
54. { Polygámia superflua	
Superfluous Polygamy	
55. { Polygámia frustaná	
Frustrated Polygamy	
56. { Polygámia necessaria	
Necessary Polygamy	
57. { Polygámia segregata	
Separated Polygamy	
g. On the Seeds.	
58. { Gymnosper'mia	
Naked seeds	
59. Angiosper'mia, in a capsule	
h. On the Pods.	
60. Siliculösa, a small pod	
61. Siliquösa, a long pod.	

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 6.)

The Natural Orders are founded on Structural Affinities.

62. Acanthaceæ	86. Cneurbitaceæ	110. Lythraceæ	131. Resedaceæ
63. Amaranthaceæ	87. Dillenaceæ	111. Magnoliaceæ	135. Rosaceæ
64. Amoryllidaceæ	88. Dipsaceæ	112. Malvaceæ	136. Rutaceæ
65. Anacardiaceæ	89. Eupacridaceæ	113. Marantaceæ	137. Sapindaceæ
66. Apocynaceæ	90. Ericaceæ	114. Melanthaceæ	138. Saxifragaceæ
67. Araliaceæ	91. Euphorbiaceæ	115. Myrtaceæ	139. Scitamineæ
68. Asclepiadaceæ	92. Ficoidæ	116. Musaceæ	140. Scrophulariaceæ
69. Balsaminaceæ	93. Francoaceæ	117. Nyctaginæ	141. Selaginaceæ
70. Begoniaceæ	94. Fumariaceæ	118. Nymphaeaceæ	142. Sesameæ
71. Berberidaceæ	95. Gentianaceæ	119. Oleaceæ	143. Silenaceæ
72. Bignoniaceæ	96. Geraniaceæ	120. Oleaceæ	144. Solanaceæ
73. Boraginaceæ	97. Gesneriaceæ	121. Onagrariceæ	145. Stellateæ
74. Cactaceæ	98. Gramineæ	122. Oxalidaceæ	146. Sterculiaceæ
75. Campanulaceæ	99. Hydrophyllaceæ	123. Papaveraceæ	147. Thymelaceæ
76. Capparidaceæ	100. Hypericaceæ	124. Passifloraceæ	148. Tropæolaceæ
77. Caprifoliaceæ	101. Iridaceæ	125. Pittosporaceæ	149. Tulipaceæ
78. Cinchonaceæ	102. Jasmínaceæ	126. Plumaginaceæ	150. Umbelliferae
79. Cistaceæ	103. Labiatæ	127. Polemoniaceæ	151. Urticaceæ
80. Cobæaceæ	104. Leguminosæ	128. Polygalaceæ	152. Valerianaceæ
81. Commelinaceæ	105. Liliaceæ	129. Polygonaceæ	153. Verbenaceæ
82. Compositæ	106. Limnanthaceæ	130. Portulacæ	154. Violaceæ
83. Convolvulaceæ	107. Linaceæ	131. Primulaceæ	155. Rhamnaceæ
84. Crassulaceæ	108. Loasaceæ	132. Proteaceæ	156. Zygophyllaceæ
85. Cruciferae	109. Lobeliaceæ	133. Ranunculaceæ	

The names of the Natural Orders ending in ACEÆ are chiefly derived from Generic Names, as CAMPANULACEÆ from CAMPANULA; such as end in æ only are not, as COMPOSITÆ, compound flowers; CRUCIFERÆ, cross-shaped; LABIATÆ, lip-flowered, &c.

The Natural Orders, for reference to which the numbers 62 to 156 afford great facility, will prove of essential service to the Amateur in forming, by comparison, an opinion of any plant in this Catalogue which is unknown to him; for instance, Anagallis, Cytisum, Dodæcatheon, Primula prænitens or Chinese Primrose, Auricula and Polyanthus belong to the same Natural Order, Primulaceæ, No. 131; consequently should he not know Dodæcatheon, the knowledge of one or more of the others would greatly assist him in forming an opinion of it. In making comparisons, the height of the plant should be considered. The Aster and the Daisy, for example, belong to the same Natural Order 82, but at first sight there does not appear to be much resemblance between them, the difference in the size of the flowers and height of the plants being so very conspicuous.

GERMAN FLOWER SEEDS

IN CHOICE ASSORTMENTS.

These Seeds warranted to equal, if not surpass, any in the Kingdom.

Explan. h. hardy; hh. half-hardy; t. tender; A. Annual; B. Biennial; P. Perennial.

GERMAN ASTER, <i>hhA.</i>					s. d.
No. 1	16	splendid varieties of German Aster, separate			3 0
2	16	do. do. do. do.	smaller packets		1 6
3	12	do. do. new Pæony-flowered do.			3 0
4	12	do. do. do. do.	smaller packets		1 6
5	12	do. do. new Flat-flowered do.			3 0
6	12	do. do. do. do.	smaller packets		1 6
7	12	do. do. Globe-flowered do.			3 0
8	12	do. do. do. do.	smaller packets		1 6
9	10	do. do. Pyramidal do.			2 6
10	10	do. do. do. do.	smaller packets		1 6
11	12	beautiful do. Dwarf do.			3 0
12	12	do. do. do. do.	smaller packets		1 6
13	74	varieties of German Aster, comprising the above			16 0
14	74	do. do. do. do.	smaller packets		8 0
GERMAN STOCK, <i>hhA.</i>					
15	24	finest Dwarf German Stock, separate, <i>hhA.</i>			6 0
16	24	do. do. do. do.	smaller packets		3 0
17	12	do. do. do. do.			3 0
18	12	do. do. do. do.	smaller packets		1 6
19	12	very fine Branching do. do.			2 6
20	12	do. do. do. do.	smaller packets		1 6
21	12	fine Wallflower-leaved do.			2 6
22	12	do. do. do. do.	smaller packets		1 6
23	6	splendid new large-flowered do.			2 6
24	6	beautiful new very dwarf do.			2 6
25	12	do. Autumn-flowering do.			3 0
26	12	do. do. do. do.	smaller packets		1 6
27	84	varieties of German Stock, comprising the above			21 0
28	84	do. do. do. do.	smaller packets		11 0
29	9	superb new Imperial Stock do. <i>hhP†</i>			4 0
30	12	finest Winter or Biennial Stock do. <i>hhB.</i>			3 0
31	12	do. do. do. do.	smaller packets		1 6
32	12	Antirrhinum, finest new varieties, separate, <i>hB†</i>			2 6
33	20	Balsam, very fine double, do. <i>tA., hhA., or Greenhouse</i>			4 0
34	10	do. do. do. do.			2 0
35	12	do. new Camellia-flowered do.			2 6
36	10	do. splendid new Rose-flowered do.			2 6
37	12	do. beautiful new Dwarf do.			3 0
38	50	Carnation and Picotee, extra fine, 5 seeds of each, <i>hhP.</i>			12 0
39	24	Hollyhock, extra fine double, separate, <i>hP.</i>			4 0
40	12	do. do. do. do.			2 0
41	12	Larkspur, finest dwarf Rocket, <i>hA.</i>			2 6
42	12	do. tall do. <i>hA.</i>			2 6
43	6	do. new dwarf Hyacinth-flowered, <i>hA.</i>			2 0
44	12	do. superb new Stock-flowered, <i>hA.</i>			3 0
45	12	Marigold, finest and newest varieties, <i>hhA.</i>			3 0
46	12	Petunia, very fine varieties, <i>hhP†</i>			3 6
47	12	Phlox Drummondii, extra fine, <i>hhA.</i>			5 0
48	12	Poppy, finest double, <i>hA.</i>			2 6
49	12	Salpiglossis, splendid varieties, <i>hhA.</i>			3 6
50	12	Scabions, new large-flowered, <i>hA.</i>			3 0
51	12	Wallflower, superb new, <i>h. Shrub.</i>			5 0
52	12	do. do. do. do.	smaller packets		2 6
53	24	Zinnia elegans, splendid varieties			8 0
54	12	do. do. do. do.			4 0

SUNDRY ASSORTMENTS

5

comprising the finest and newest varieties.

Expl. *h*, hardy; *hh*, half hardy; *t*, tender; *s*, Stove; *g*, Greenhouse; *A*, Annual; *B*, Biennial; *P*, Perennial; *S*, shrub; *Pb*, Bulbous perennial.

* * The Perennials and Biennials marked † flower the 1st year.

No.		s. d.	No.		s. d.
55	9 Acacia, <i>gS</i>	3 6	104	10 Nemophila, <i>hA</i>	2 6
56	4 Alonsoa, <i>hhP†</i>	1 0	105	6 do. <i>hA</i>	1 3
57	6 Alstroemeria, <i>gPb</i>	1 6	106	3 Nolana, <i>hA</i>	0 6
58	4 Anagallis, <i>gP†</i>	1 6	107	12 Oenothera, <i>hP & B†</i>	3 6
59	6 Anemone, <i>hPb</i>	2 0	108	6 do. <i>hP & B†</i>	1 6
60	6 Antirrhinum, <i>hB†</i>	1 3	109	5 Papaver, <i>hP†</i>	1 0
61	10 Aquilegia, <i>hP†</i>	2 6	110	4 Passiflora, <i>sS</i>	1 6
62	6 do. <i>hP†</i>	1 6	111	6 Pelargonium or Geranium, <i>gS</i>	3 6
63	6 Calandrinia, <i>hhA & P†</i>	1 6	112	12 Pentstemon, <i>hP†</i>	3 0
64	8 Calliopsis, <i>h or hhA</i>	2 0	113	6 do. <i>hP†</i>	1 6
65	12 Campanula, <i>hP</i>	2 6	114	6 Petunia, <i>hhP†</i>	1 6
66	6 do. <i>hP</i>	1 6	115	3 Podolepis, <i>hhA</i>	1 0
67	10 Canna, <i>sSt</i>	3 6	116	6 Portulaca, <i>hhA</i>	2 6
68	4 Clarkia elegans, <i>hA</i>	0 9	117	6 Potentilla, <i>hP†</i>	1 6
69	4 Clarkia pulchella, <i>hA</i>	0 9	118	6 Salvia, <i>hA & P†</i>	2 6
70	5 Collinsia, <i>hA</i>	1 0	119	4 Schizanthus, <i>hA</i>	1 0
71	4 Cuphea, <i>hhA</i>	1 6	120	4 do. tall, <i>hhA</i>	1 6
72	12 Delphinium, <i>hP†</i>	2 6	121	6 Silene, <i>hA & B</i>	1 0
73	6 do. <i>hP†</i>	1 6	122	6 Thunbergia, <i>g. climber</i>	2 0
74	5 Dianthus chinensis, <i>hB†</i>	1 6	123	6 Tropæolum, <i>gPb</i> do.	2 6
75	12 Dianthus, various, <i>hP†</i>	3 0	124	6 Verbena, <i>hhB†</i>	2 0
76	6 do. do. <i>hP†</i>	1 6	125	4 Viscaria, <i>hA</i>	1 0
77	10 Digitalis, <i>hP</i>	2 0	126	10 Zinnia elegans, <i>hhA</i>	3 0
78	6 Elichrysium, <i>hhA</i>	1 6	127	6 do. finest	2 0
79	3 do. <i>gS</i>	1 6	128	4 Candytuft, <i>hA</i>	0 9
80	4 Eschscholzia, <i>hP†</i>	1 0	129	5 Canterbury Bell, <i>hB†</i>	1 6
81	3 Gaillardia, <i>hP†</i>	1 0	130	5 Chrysanthemum, <i>hA</i>	1 0
82	6 Gentiana, <i>hP</i>	1 3	131	18 Convolvulus major, <i>hhA</i>	4 0
83	4 Geum, <i>hP†</i>	1 6	132	10 do. <i>hhA</i>	2 0
84	6 Gilia, <i>hA</i>	1 3	133	8 Convolvulus minor, <i>hA</i>	2 0
85	6 Godetia, <i>hA</i>	1 3	134	4 Globe Amaranthus, <i>tA</i>	1 0
86	5 Heliotropium, <i>gS</i>	1 6	135	10 Gourds, <i>frame, A</i>	2 6
87	5 Hibiscus, <i>gP. &c.</i>	2 0	136	4 Hawkweed, <i>hA</i>	0 9
88	6 Ipomæa, <i>gA</i>	2 6	137	8 Hollyhock, <i>hP</i>	1 6
89	4 Ipomopsis, <i>hhB</i>	1 6	138	6 Jacobæa, <i>hA</i>	1 3
90	6 Kennedia, <i>gS</i>	2 0	139	6 Larkspur, new branching, <i>hA</i>	1 6
91	4 Leptosiphon, <i>hA</i>	0 9	140	6 Lupins, common, <i>hA</i>	1 0
92	6 Linaria, <i>hA</i>	1 0	141	8 Marigold, <i>hhA & hA</i>	1 6
93	6 Linum, <i>hP & A</i>	1 6	142	8 Marvel of Peru, <i>hP†</i>	1 6
94	6 Lobelia, <i>hhA & P†</i>	1 6	143	6 Nasturtion, <i>hA</i>	1 0
95	4 Lophospermum, <i>gSt</i>	1 6	144	8 Sweet Peas, <i>hA</i>	1 6
96	6 Lupinus, <i>hA</i>	1 3	145	6 Poppy, superb, <i>hA</i>	1 6
97	6 do. perennial, <i>hP†</i>	1 3	146	6 Stock, 10-week, <i>hhA</i>	1 6
98	4 Lychnis, <i>hP</i>	1 0	147	4 —, new Dwarf, <i>hhA</i>	1 6
99	4 Malope, <i>hA</i>	0 9	148	4 —, largest new, <i>hhA</i>	1 6
100	4 Martynia, <i>hhA</i>	1 6	149	8 —, intermediate, <i>hhA</i>	2 0
101	4 Maurandya, <i>gSt</i>	1 6	150	4 —, new Imperial, <i>hhP†</i>	1 6
102	4 Mesembryanthemum, <i>hhA</i>	1 6	151	5 Venus' Looking-Glass, <i>hA</i>	1 0
103	6 Mimulus, <i>hhP†</i>	1 6			

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 75, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceæ*, plants with Bell-shaped Flowers. See page 8.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Acacia speciosa* is rendered showy *Acacia*, &c.—In giving orders it is sufficient to mention the numbers and date of this Catalogue, 1852. N.B. The numbers being changed every year, it is absolutely necessary to say from what Catalogue they are taken.

A — indicates a variety, see No. 169. () That the word is not literally translated, or is superadded.		THE ACCENTS.		Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
Scientific Name.											
No.									feet		s. d.
152	<i>Acacia armata</i>	<i>armed</i>		16	44	104	gS	y.	10	5-7	6
153	<i>falciformis</i>	<i>sickle-shaped</i>		6	...	6
154	<i>floribunda</i>	<i>bunch-flowered</i>		6
155	<i>lophantha</i>	<i>crest-flowered</i>		6
156	<i>pulchella</i>	<i>pretty</i>		4	...	6
157	<i>speciosa</i>	<i>showy</i>		p.	10	8-10	6
158	<i>Achimenes</i> , pl. var.	<i>(splendid mixed)</i>		14	59	97	sPb	div.	1	6-9	1 0
159	<i>Aconitum</i> , pl. var.	<i>mixed (Monkshood)</i>		13	28	133	hP	b&w	2½	7-9	3
160	<i>Adenophora suavæolens</i>	<i>fragrant</i>		5	25	75	hP†	b.	1½	7-8	3
161	<i>Agapanthus umbellatus</i>	<i>umbel-flowered</i>		6	...	105	gPb	...	2½	5-8	6
162	<i>umbellatus albus</i>	<i>white do.</i>		w.	6
163	<i>Ageratum mexicanum</i>	<i>Mexican</i>		19	53	82	hA	b.	1½	7-10	3
164	<i>odoratum</i>	<i>odorous</i>		w.	3
165	<i>Agrostis elegans</i>	<i>elegant</i>		3	26	98	...	ap.	1	7-8	3
166	<i>Aloë ferox</i>	<i>(spiny)</i>		6	25	105	gS	y.	6	5-7	6
167	<i>Alonsõa grandiflora</i>	<i>large-flowered</i>		14	59	140	hP†	s.	1	6-9	3
168	<i>incisiflora</i>	<i>cut-flowered</i>		3
169	— <i>picta</i>	<i>painted</i>		va.	6
170	<i>Alstrœmeria aurantiaca</i>	<i>orange</i>		6	25	64	gPb	o.	2½	...	6
171	<i>Pelegrina</i>	<i>(striped)</i>		stri.	1½	...	6
172	— <i>alba</i>	<i>white</i>		w.	6
173	<i>hybrida novâ</i>	<i>new hybrid</i>		div.	2	...	1 0
174	<i>pulchella</i>	<i>pretty</i>		s.	1½	...	6
175	<i>tricolor</i>	<i>three-coloured</i>		va.	1	...	6
176	<i>Alyssum maritimum</i>	<i>(Sweet Alyssum)</i>		15	60	85	hA	w.	½	7-8	3
177	<i>saxatile</i>	<i>rock</i>		hP†	y.	1	5-7	3
178	<i>Amaranthus bicolor</i>	<i>two-coloured</i>		21	40	63	tA	va.lf.	...	7-8	3
179	<i>tricolor</i>	<i>three-coloured</i>		3
180	<i>Amethystea cœrulea</i>	<i>blue</i>		2	25	103	hA	b.	1½	...	3
181	<i>Anagallis indica</i>	<i>Indian</i>		5	...	131	½	...	3
182	<i>fruticosa</i>	<i>shrubby</i>		gB†	s.	1½	6-9	6
183	<i>Monelli Phillipsii</i>	<i>(large blue)</i>		gP†	b.	1	...	6
184	— <i>incarnata</i>	<i>flesh-coloured</i>		flsh.	6
185	— <i>rosea</i>	<i>rose</i>		ro.	6
186	<i>Anastatica hierochuntina</i>	<i>(Rose of Jericho)</i>		15	61	85	hA	w.	½	7-8	6
187	<i>Anchusa arvensis</i>	<i>(bright blue)</i>		5	25	73	hP†	b.	1½	...	3
188	<i>ochroleuca italica</i>	<i>Italian</i>		p.	...	6-8	3
189	<i>Anemone capensis</i>	<i>Cape</i>		13	35	133	gP	p.	1	...	6
190	<i>coronaria</i>	<i>(Poppy Anemone)</i>		hP†	div.	...	4-6	6
191	— <i>coccinea splendens</i>	<i>splendid scarlet</i>		s.	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	Cl.	L.	O.	N.	O.	H. & Dnr.	Col. of Fl.	Hght. feet	M. of Flw.	Price.
192	Anemone hortensis	(star-flowered)	13	35	133	hPb	div.	1	4-6	6		
193	Hudsoniana	Hudson's Bay	hP	w.	...	5-7	6		
194	Pulsatilla	(Pasque-flower)	v.	$\frac{1}{2}$	4-5	6		
195	sulphurea	sulphur	sul.	1	...	6		
196	sylvestris	sylvan	w.	6		
197	Anoda Dilleniana	(Blue Hibiscus)	16	49	112	hA	b.	2	7-8	3		
198	Anomathoea cruenta	blood-red	3	25	101	fPb	r.	1	7-9	6		
199	Antirrhinum Majus album	white (Snapdragon)	14	59	140	hP+	w.	2	6-10	3		
200	Majus, caryophylloides	Carnation	stri.	3		
201	— — luteum	yellow	y.	3		
202	— coccineum	scarlet	s.	3		
203	— flavum	yellow	y.	3		
204	— pictum	painted	r & y	3		
205	— quadricolor	four-coloured	va.	3		
206	— striatum novum	new striped	div.	3		
207	Aquilegia arctica	arctic	13	30	133	...	s & g	1	5-7	3		
208	Butteana	Butte's	va.	$1\frac{1}{2}$...	6		
209	canadensis	Canadian	r & o	3		
210	— elatior	taller	r & y	2	...	3		
211	formosa	beautiful	o & y	1	...	6		
212	fragrans	fragrant	y. va.	6		
213	glandulosa	glandular	b & w	$1\frac{1}{2}$...	3		
214	hybrida bicolor	hybrid	w & b	3		
215	pyreneica	Pyrenean	b.	3		
216	sibirica flore-pleno	double Siberian	6		
217	Skinneri	Mr. Skinner's	s & g	3		
218	Willdenowii	Willdenow's	l.b. & w.	6		
219	Arabis alpina	alpine	15	61	85	...	w & y	$\frac{3}{4}$	7-8	3		
220	Aralia japonica	Japan	5	30	67	sS	w.	4	6-8	6		
221	Arduina grandiflora	large-flowered	...	25	66	gS	...	2	4-8	6		
222	Argemone grandiflora	large-flowered	13	...	127	hA	7-8	6		
223	mexicana	Mexican	y.	3		
224	Aristea cyanea	sky-blue	3	...	101	gPb	b.	1	5-7	6		
225	Armoria formosa (Statiee)	beautiful	5	30	126	hP	ro.	...	7-8	6		
226	Artanema fimbriata	fringed	14	59	140	gS	r.br.	2	6-8	6		
227	Asclepias curassavica	Curassao	5	26	68	sP	s.	$2\frac{1}{2}$...	6		
228	tuberosa	tuberous-rooted	hP	o.	$2\frac{1}{2}$	7-8	6		
229	Aster tenellus*	slender	19	54	82	hB+	b & y	$\frac{3}{4}$	6-8	3		
230	Athanasia annua	annual	...	53	...	hA	y.	1	7-9	3		
231	Azalea pontica	Pontic	5	25	90	hS	div.	3	5-7	6		
232	Baptisia australis	southern	10	...	101	hP	b.	2	7-8	3		
233	perfoliata	perfoliate	gP	y.	3	...	6		
234	Bartonia aurea	golden	13	...	108	hA	...	$1\frac{1}{2}$...	3		
235	Begonia zinnabarina	vermillion	21	48	70	sPb	ver.	4	6-8	6		
236	Bellis perennis, fl. pl.	double-flwd. Daisy	19	54	82	hP+	div.	$\frac{3}{4}$	4-8	1 0		
237	Bignonia, pl. sp.**	several species	14	59	72	hS	y & o	10	7-9	6		
238	Blumenbachia insignis	beautiful	18	48	108	hA	w.	1	7-8	3		
239	Brachycome iberidifolia	iberis-leaved	19	54	82	...	b.	$1\frac{1}{2}$...	6		
240	iberidifolia alba	white	w.	6		
241	— lilacina	lilac	li.	6		
242	Browallia elata	tall	14	59	140	gA	b.	2	6-8	3		
243	Bulbine floribunda	bunch-flowered	6	25	105	gPb	y & g	1	8-9	6		
244	Burchellia capensis	Cape	5	...	78	sS	s.	4	3-5	6		
245	Caecalia coccinea	scarlet	19	53	82	hA	...	$\frac{3}{4}$	7-8	3		
246	coccinea aurea	yellow	y.	3		
247	Cactus, pl. sp.	several species	12	25	71	sS	div.	div.	6-9	1 0		
248	Cajanus flavus	yellow	17	45	82	...	y.	4	7-8	6		
249	Calanopelis scabra**	rough (poddid)	14	59	72	hP+	o.	6	6-9	6		
250	scabra miniata**	carmine	ear.	6		
251	Calandrinia discolor	elegant	11	25	130	...	ro.	$1\frac{1}{2}$	7-8	6		

A—indicates a variety. () That the word is not literally translated, or is superadded.			L.	Cl.	L.	O.	N.	O.	H.	&	Dur.	Col.	of Fl.	Hght.	M. of	Flow.	Price.
No.														feet			s. d.
252	Calandrinia grandiflora	large-flowered	11	25	130	hhP+	p.	1½	7-8	3							
253	Lindleyana	Dr. Lindley's	hA	r.	½	...	3							
254	speciosa	showy	p.	3							
255	umbellata*	umbelled (beautiful)	hhP+	...	4	...	6							
256	Calceolaria pinnata	pinnate	2	...	140	hhA	y.	1½	...	3							
257	hybrida, punctata	hybrid, spotted	gP	div.	2	6-9	1	0						
258	subcercata	suberect	hhP	y.	...	7-9	6							
259	Callichroa platyglossa	(broad-rayed)	19	56	82	hA	...	1	7-8	3							
260	Calliopsis (Corcopsis)	(splendid mixed)	...	55	...	hhA	div.	2	7-9	3							
261	bicolor	two-coloured	y & r	3							
262	— atrosanguinea	dark red	d. r.	3							
263	— grandiflora	large-flowered	y & r	3							
264	— marmorata	marbled	va.	3							
265	— nana nova	new dwarf	y & r	1	...	6							
266	Drummondii	Drummond's	y & br	3							
267	— major	larger-flowered	6							
268	Atkinsoniæna	Atkinson's	hP+	...	2½	...	3							
269	Campánula americana	American	5	25	75	...	b.	2	...	3							
270	carpatia	Carpathian	4	7-8	3							
271	— alba	white	w.	3							
272	grandiflora	large-flowered	b.	1	...	6							
273	grandis	grand	l. b.	2	...	3							
274	Lœflingii	Lœfling's	hA	b.	1	...	3							
275	nobilis	noble	hP+	p.	1½	...	6							
276	— alba	white	w.	6							
277	pulcherrima	beautiful	b.	1	...	3							
278	pusilla	dwarf	3							
279	pyramidalis	pyramidal	hP	l. b.	3	6-8	3							
280	— alba	white	w.	3							
281	sibirica	Siberian	hB+	b.	1	7-8	3							
282	speciosa	showy	hP+	p.	2	...	6							
283	stricta	strict	hB+	b.	1½	...	3							
284	Trachelium fl. pl.	double-flowered m.	hP+	b&w	2½	...	6							
285	urticifolia	nettle-leaved	b.	1½	...	3							
286	Lorei	Lore's	hA	p.	1	...	3							
287	— alba	white	w.	3							
288	pentagonia	five-angled	b.	4	...	3							
289	— alba	white	w.	3							
290	Canna aurantiaca	orange	1	...	113	sP+	o.	4	1-12	6							
291	coccinea	scarlet	s.	2½	...	6							
292	flaccida	flaccid	r.	4	...	6							
293	floribunda	many-flowered	6							
294	gigantea	gigantic	r&y	6	...	6							
295	glauca	glaucous	y&r	4	...	6							
296	indica	Indian	div.	2½	...	6							
297	lutea	yellow	y.	6							
298	picta	painted	r&y	3	...	6							
299	speciosa	showy	r.	6							
300	Cardiospermum haliacabum	(Balloon Vine)**	8	28	135	sA	w&g	5	6-8	6							
301	Cassia grandiflora	large-flowered	10	25	104	sS	y.	3	5-8	6							
302	Catananche lutea	yellow	19	53	82	hA	y.	1	7-8	3							
303	caerulea	blue	hP+	b.	2	...	3							
304	— bicolor	two-coloured	w&b	3							
305	Celsia cretica	Cretan	14	59	140	hB+	y.	3	...	3							
306	Centaurea americana	American	19	55	82	gA	r.	2½	8-10	6							
307	depressa*	dwarf	hA	b.	1	7-8	3							
308	Centranthus macrosiphon	long-tubed	1	25	152	...	r.	4	7-9	3							
309	macrosiphon carnea	(new flesh-coloured)	flsh	6							
310	Chænostoma fastigiatum*	bunch-flowered	14	59	140	hhA	ro.	6							
311	polyanthum	many-flowered	li.	3							

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
312	Chelone barbata	bearded (<i>Pentstemon</i>	14	59	140	hP+	s.	2	7-9	6
313	gentianoides	<i>Gentian-like</i>	r.	3
314	— alba	— white	w.	6
315	— coccinea	— scarlet	s.	6
316	— elegans	— elegant	ro.	6
317	Chironia frutescens	frutescent	5	25	95	gS	r.	1½	6-8	6
318	Chorozeia latifolia	broad-leaved	10	...	104	...	y & r	4	...	6
319	pl. sp.	several species	div.	6
320	Chrysanthemum indicum	Indian	19	54	82	hP	...	3	9-12	1 0
321	frutescens?	frutescent	y.	2	8-10	6
322	Cineraria hybrida pl. var.	(splendid mixed)	gS	div.	...	5-7	1 0
323	Cirsium pulcherrimum	most beautiful	...	55	...	hP	p.	4	7-8	6
324	Cistus monspeliensis	Montpelier	13	25	79	fP+	w.	2	6-7	6
325	Cladanthus arabicus	Arabian	19	54	82	hA	y.	1	6-8	6
326	Clarkia elegans	elegant	8	25	121	...	li.	1½	...	3
327	elegans flore-pleno	— double	3
328	— rosea	— rose-coloured	ro.	3
329	— flore-pleno	— double rose	3
330	— violacea nova	— violet new	vi.	3
331	pulchella	pretty	ro.	1½	...	3
332	— alba	— white	w.	3
333	— grandiflora	— large-flowered	r.	3
334	— alba	— white	w.	3
335	Clématis Flammula**	flame	13	35	133	hS	...	15	6-9	1 0
336	Vitalba**	Traveller's Joy	3
337	Cleome pentaphylla	five-leaved	15	61	76	hhA	...	2	7-8	6
338	speciosa	showy	ro.	6
339	Clianthus puniceus	crimson	17	45	104	hS	cr.	6	8-10	6
340	Clintonia elegans	elegant	16	40	109	hhA	b.	¾	7-8	3
341	pulchella	beautiful	3col.	6
342	— alba	white	w.	6
343	Clitoria Ternatea**	(sky-blue)	17	45	104	sS	b.	4	...	1 0
344	2 species**	two fine species	li & b	6
345	Cobæa scandens	climbing	5	25	80	gS	p.	30	6-9	6
346	stipularis	stipulate	y.	6
347	Collinsia bicolor	two-coloured	14	59	140	hA	pk&w	1	7-8	3
348	bicolor atrorubens	— dark red	r & w	3
349	— heterophylla	— various-leaved	p & w	3
350	grandiflora	large-flowered	pk&b	3
351	verna	vernal	p & b	3
352	Cochlearia acaulis	stemless	15	60	85	hP+	li.	1	1-6	6
353	Colchicum autumnale	autumnal	6	28	114	hPb	div.	¾	7-9	3
354	Collomia coccinea	scarlet	5	25	127	hA	s.	1	7-8	3
355	grandiflora	large-flowered	bfff	3
356	Commelina celestis	sky-blue	3	...	81	fPb	b.	1½	...	6
357	celestis alba	white	w.	6
358	Convallaria majalis	(Lily of the Valley)	6	...	105	½	5-8	3
359	multiflora	many-flowered	3
360	Coronilla glauca	glaucous	17	45	104	gS	y.	2	...	6
361	Corydalis aurea	golden	...	41	94	hB+	...	1	5-7	6
362	Cosmanthus fimbriatus	fringed	5	25	99	hhA	b & w	¾	7-8	6
363	Cosmea bipinnata	bipinnate	19	55	82	...	p.	2	7-9	3
364	grandiflora	large-flowered	6
365	Cosmidium filiforme	thread-formed	w.	...	7-8	6
366	Crœus vernus	vernal	3	25	101	hPb	div.	¾	3-4	6
367	Crucianella stylosa	long-styled	4	...	145	hP+	pk.	1	6-8	3
368	Cuphea platycentra	broad-centred	11	...	110	hS	s & w	1½	7-8	6
369	miniata purpurea, &c.	purple and varieties	div.	1½	...	6
370	silenoides	Silene-like	hhA	blsh.	6
371	strigillosa	strigillose	hhS	s & y	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
372	<i>Cyclamen europæum</i>	<i>European</i>	5	25	131	hPb	r&w.	$\frac{1}{2}$	7-9	6
373	<i>neapolitanum</i>	<i>Naples</i>	hhPb	r.	...	4-6	6
374	<i>Cytisus alpinus</i>	(<i>Scotch Laburnum</i>)	16	45	104	hT	y.	30	5-6	3
375	<i>Laburnum</i>	<i>English</i>	15	...	3
376	<i>capitatus</i>	<i>headed</i>	hS	...	3	...	3
377	<i>nigricans</i>	<i>nigrescent</i>	3
378	<i>racemosus</i>	<i>bunch-flowered</i>	5-7	...	3
379	<i>Dahlia repens</i>	<i>creeping</i>	19	54	82	hhPb	p.	1	7-9	6
380	<i>superflua</i>	(<i>fine double</i>)	div.	3-4	...	6
381	<i>Datura crotocaula</i>	<i>horn-stalked</i>	5	25	144	hltA	w&ro	3	7-8	3
382	<i>fastuosa</i>	<i>showy</i>	p.	2	3
383	— <i>alba</i>	<i>white</i>	w.	3
384	<i>Daubentonia Tripetlana</i>	<i>Tripet's</i>	17	45	104	gS	s&co.	6	...	6
385	<i>Delphinium amœnum</i>	<i>pleasing (Larkspur)</i>	13	28	133	hP+	b.	2	...	3
386	<i>azuræum</i>	<i>azure</i>	az.	3
387	<i>chinense</i>	<i>Chinese</i>	b.	1 $\frac{1}{2}$	3
388	— <i>album</i>	— <i>white</i>	w.	3
389	— <i>pl. var.</i>	— <i>mixed</i>	div.	6
390	<i>Clusii</i>	<i>Cluse's</i>	b.	3	3
391	<i>decumbens</i>	<i>reclining</i>	1	3
392	<i>dictyocarpum</i>	<i>netted-podded</i>	3	3
393	<i>elatum</i>	(<i>Bee Larkspur</i>)	div.	4	3
394	<i>elegans</i>	<i>elegant</i>	b.	1 $\frac{1}{2}$	3
395	— <i>flore-pleno</i>	<i>double-flowered</i>	6
396	— — <i>album</i>	— <i>white</i>	w.	6
397	<i>internedium</i>	<i>intermediate</i>	b.	2	3
398	<i>ochroleucum</i>	<i>pale yellow</i>	l.y.	3
399	<i>punicum</i>	<i>erimson</i>	cr.	6
400	<i>splendidum</i>	<i>splendid</i>	b.	6
401	<i>tricolor</i>	<i>three-coloured</i>	3col.	6
402	<i>triste</i>	<i>sad</i>	d.br.	3
403	<i>Dianthus atrorubens fl. pl.</i>	<i>dou. dark red (Pink)</i>	10	26	143	...	d. r.	1	6-9	6
404	<i>atrorubens violaceus</i>	— <i>violet</i>	v.	6
405	— <i>variegatus</i>	— <i>variegated</i>	div.	6
406	<i>barbatus pl. var.</i>	(<i>Sweet William</i>)	hP	...	1 $\frac{1}{2}$...	3
407	— <i>coccineus</i>	— <i>scarlet</i>	s.	3
408	— <i>flore-pleno</i>	— <i>double</i>	div.	6
409	— <i>striatus</i>	— <i>striped</i>	6
410	<i>Carthusianorum fl. pl.</i>	<i>Carthusians', double</i>	hP+	r.	6
411	<i>Caryophyllus</i>	<i>Carnation</i>	hP	div.	2	...	3
412	— <i>flore-pleno</i>	— <i>double</i>	10
413	— <i>punctatus</i>	— — <i>Picotee</i>	10
414	— <i>bicolor</i>	— — <i>Flake Car.</i>	hhP	26
415	— <i>variegatus</i>	— — <i>Bizarre do.</i>	26
416	— <i>albo-punctatus</i>	— — <i>white Picotee</i>	26
417	— <i>luteo-punctatus</i>	— — <i>yellow do.</i>	26
418	— — —	<i>Nos. 413 to 417</i>	10
419	<i>Caryophyllus pl. var.</i>	<i>finest d. Carnation</i>	26
420	— <i>punctatus pl. var.</i>	— <i>double Picotee</i>	26
421	<i>chinensis pl. var.</i>	(<i>Indian Pink, fine m.</i>)	hB+	...	1	...	3
422	— <i>flore-pleno pl. var.</i>	— <i>double do.</i>	3
423	— — <i>albislorus</i>	— — <i>white</i>	w.	6
424	— — <i>imperialis</i>	— — <i>Imperial</i>	div.	6
425	— — <i>cupreus novus</i>	— — <i>copper, new</i>	cop.	6
426	<i>eruentus</i>	<i>blood-red</i>	hP+	r.	6
427	<i>deltoides</i>	(<i>Maiden</i>)	l. r.	$\frac{3}{4}$	3
428	— <i>albislorus</i>	<i>white-flowered do.</i>	w.	3
429	<i>umbriatus ?</i>	<i>fringed</i>	pk.	6
430	<i>floribundus ?</i>	<i>bunch-flowered</i>	w.	6
431	<i>Foxii</i>	<i>Fox's</i>	cr.	1	6

<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>			L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
432	<i>Dianthus giganteus</i>	<i>gigantic</i>	10	26	143	hP†	r.	2	6-9	3
433	— <i>hispanicus</i>	<i>Spanish, m.</i>	div.	1	3
434	— <i>splendens</i>	<i>splendid</i>	er.	6
435	— <i>japonicus</i>	<i>Japan</i>	s.	6
436	— <i>latifolius</i>	<i>broad-leaved</i>	div.	$\frac{3}{4}$	3
437	— <i>moschatius</i>	<i>(Garden Pink, s.)</i>	hP	w&p	1	...	3
438	— <i>flore-pleno</i>	<i>— double-flowered</i>	1 0
439	— <i>plumarius fl. pl.</i>	<i>Feathered double</i>	div.	1 $\frac{1}{2}$	3
440	— <i>pulchellus</i>	<i>pretty</i>	hP†	...	1	...	3
441	— <i>superbus</i>	<i>superb</i>	li.	1 $\frac{1}{2}$	3
442	— <i>grandiflorus novus</i>	<i>new large-flowered</i>	div.	6
443	<i>Didiscus cæruleus</i>	<i>blue</i>	5	25	150	hhA	b.	2	7-8	6
444	<i>Digitalis aurea</i>	<i>golden (Foxglove)</i>	14	59	140	hP†	y.	1 $\frac{1}{2}$	6-9	3
445	— <i>Buxbaumi</i>	<i>Buxbaum's</i>	3
446	— <i>ferruginea</i>	<i>ferruginous</i>	buff	3
447	— <i>gigantea</i>	<i>gigantic</i>	2	3
448	— <i>grandiflora</i>	<i>large-flowered</i>	y.	1 $\frac{1}{2}$	3
449	— <i>purpurea</i>	<i>purple</i>	p.	3	3
450	— <i>alba</i>	<i>white</i>	w.	3
451	— <i>punctata</i>	<i>spotted</i>	sp.	3
452	— <i>Winterli</i>	<i>Winterl's</i>	3
453	<i>Diosma</i> , 3 sp.	<i>3 species, separate</i>	5	25	136	gS	w&ro	2 $\frac{1}{2}$	4-7	1 6
454	<i>Dodecatheon Meadia</i>	<i>Meadia</i>	131	hP†	p.	...	6-8	6
455	— <i>Meadia alba</i>	<i>white</i>	w.	6
456	<i>Dolichos</i> , 3 sp.	<i>3 species, separate</i>	17	45	104	gS	div.	8	7-9	1 0
457	<i>Doryanthes excelsa</i>	<i>noble</i>	6	25	105	hhPh	crea.	20	...	1 0
458	<i>Dracaena nutans</i>	<i>nodding</i>	gS	br.	4	...	6
459	<i>Dracoccephalum argunense</i>	<i>Argune</i>	14	58	103	hP†	b.	1 $\frac{1}{2}$...	6
460	— <i>canariense</i>	<i>(Balm of Gilead)</i>	hhP†	r&p.	6
461	— <i>superbum</i>	<i>superb</i>	hP†	b.	6
462	<i>Dracopis amplexicaulis</i>	<i>stem-clasping</i>	19	55	82	hA	y.	2	7-8	3
463	<i>Duranta inermis</i>	<i>unarmed</i>	14	59	153	sS	b.	6	...	6
464	<i>Echium pyreneum</i>	<i>Pyrenean</i>	5	25	73	hB	w.	1	...	3
465	— <i>candicans</i>	<i>whitish</i>	fS	b.	3	5-7	3
466	<i>Edwardsia grandiflora</i>	<i>large-flowered</i>	10	...	104	gS	y.	10	...	6
467	<i>Elichrysium robustum</i>	<i>robust</i>	19	54	82	hA	y&w	2	7-9	3
468	— <i>macranthum</i>	<i>large-flowered</i>	pk.	3
469	— <i>album plenum</i>	<i>double white</i>	w.	6
470	— <i>flavum plenum</i>	<i>double yellow</i>	y.	6
471	— <i>grandiflorum</i>	<i>large-flowered</i>	gS†	w.	2 $\frac{1}{2}$	6-9	6
472	— <i>sesamoides</i>	<i>Sesamum-like</i>	p&w	2	4-6	...	6
473	— <i>Stæchelia</i>	<i>Stæchelia</i>	w.	1 $\frac{1}{2}$	1-12	...	6
474	<i>Elsholtzia cristata</i>	<i>crested</i>	14	58	103	hA	pk.	1	7-8	3
475	<i>Epæris grandiflora</i>	<i>large-flowered</i>	5	25	89	gS	s.	3	1-6	1 0
476	— <i>hybrida superba</i>	<i>superb hybrids</i>	div.	2	div.	2 6	6
477	— <i>paludosa</i>	<i>marsh</i>	r.	3	5-7	...	6
478	<i>Eragrostis elegans*</i>	<i>(Love-Grass)</i>	3	26	98	hA	ap.	1	7-8	6
479	<i>Eremurus spectabilis</i>	<i>showy</i>	6	25	105	hPh	y.	2	5-6	6
480	<i>Erica</i> , 10 sp. sep.	<i>(10 fine species)</i>	8	...	90	gS	div.	div.	div.	5 0
481	— <i>pl. sp.</i>	<i>(finest mixed, 30 sp.)</i>	2 6
482	<i>Erinus alpinus</i>	<i>alpine</i>	14	59	140	hP†	li.	$\frac{1}{2}$	4-6	3
483	<i>Erodium moschatum</i>	<i>musk</i>	16	25	96	hA	p.	1	5-7	3
484	<i>Eryngium giganteum</i>	<i>gigantic</i>	5	26	150	hP	li.	2	7-8	6
485	<i>Erysimum Peroffskyænum</i>	<i>Peroffsky's</i>	15	61	85	hA	o.	1	6-8	3
486	<i>Erythrina caffra</i>	<i>Caffrarian</i>	17	45	104	gS	s.	6	7-10	1 0
487	— <i>Crista-galli</i>	<i>(splendid scarlet)</i>	s†	...	40	5-7	1 0
488	<i>Eschscholtzia crœcea</i>	<i>saffron</i>	13	29	123	hP†	o.	1 $\frac{1}{2}$	7-8	3
489	— <i>crœcea alba nova</i>	<i>new white</i>	w.	6
490	— <i>californica</i>	<i>Californian</i>	y.	3
491	— <i>compacta</i>	<i>compact</i>	1	...	3

A — indicates a variety. () That the word is not literally translated, or is superadded.

		Cl.	L.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
552	<i>Helianthemum guttatum</i>	spotted	13	25	79	hA	y.	$\frac{1}{2}$	7-8	3
553	apenninum	Apennine	hS+	w.	...	5-7	6
554	<i>Heliophila araboides*</i>	Arabis-like	15	61	85	hA	b.	...	7-8	6
555	dissecta	dissected	1	...	6
556	integrifolia	entire-leaved	6
557	trifida	trifid	p.	$\frac{3}{4}$...	6
558	<i>Heliotropium grandiflorum</i>	large-flowered	5	25	73	gS	li.	2	6-8	3
559	peruvianum	Peruvian	3
560	— Voltairianum	Voltaire's	v.	6
561	— — —	Triomphe de Liege	d. v.	6
562	<i>Hieracium giganteum</i>	gigante	...	26	150	hB	w.	10	7-9	3
563	<i>Hibbertia volubilis**</i>	climbing	13	28	87	gS	y.	...	5-9	6
564	<i>Hibiscus africanus</i>	African	16	48	112	hA	y&br.	1 $\frac{1}{2}$	7-9	3
565	calisarcus	(beautiful)	3
566	palustris	marsh	hP+	pk.	3	7-8	6
567	— alba	white	w.	6
568	syriacus	Syrian	hS	div.	6	...	3
569	esulentus	edible	sA	y.	2	...	6
570	liliiflorus	Lily-flowered	gS	s.	6
571	Manihot	Manihot	gP+	y.	6
572	militaris	military	p.	6
573	mutabilis	variable	sS	w.	6
574	speciosus	showy	gP	s.	6
575	<i>Hieracium speciosum</i>	showy	19	53	82	hP+	y.	1 $\frac{1}{2}$...	3
576	<i>Hövea Celsi</i>	Cels's	16	45	104	gS	b.	6	6-9	6
577	longifolia	long-flowered	p.	4	...	6
578	<i>Hümea elegans</i>	elegant	19	53	82	hB+	r.	5	...	6
579	<i>Hümulus Lupulus**</i>	(cultivated Hop)	22	40	151	hP	y.	15	6-8	6
580	<i>Ilmenoxis californica</i>	Californian	19	54	82	hA	...	1	7-8	6
581	<i>Hypêrium elegans</i>	elegant	18	48	100	hP+	...	1 $\frac{1}{2}$	6-7	6
582	<i>Ibêris Tenoreana</i>	Tenore's	15	60	85	...	p.	1	6-8	6
583	<i>Impatiens glanduligera</i>	glandular	5	25	69	hA	r.	2 $\frac{1}{2}$	7-8	3
584	glanduligera alba	white	w.	3
585	<i>Incarvillea grandiflora**</i>	large-flowered	14	59	72	gS	o.	20	7-9	6
586	<i>Indigöfera Dösnia</i>	Dosua	17	45	104	sS	ro.	3	5-7	3
587	<i>Ipomæa coccinea**</i>	scarlet	5	25	83	gA	s.	8	6-9	3
588	böna nox**	Good Night!	sA	w.	12	...	6
589	ficifolia	fig-leaved	sP+	p.	8	...	6
590	lutöla**	yellowish	gA	yh.	3
591	polyanthes**	(Auricula-flowered)	sS	y.	6
592	Quamöelit**	Quamöelit	gA	s.	3
593	— flore-albo**	white (rare)	w.	6
594	rüb-ro-cærulea**	(sky-blue)	sA	b.	10	...	1 0
595	tyrianthina**	Tyrian purple	sPb	p.	1 0
596	sp. ex. Arabia**	Arabian species	v & y	6
597	babylönica**	Babylonian	gA	var.	6
598	barbata**	bearded	hA	p.	6
599	carolina semiplena**	Carolina semi-double	6
600	hederacea**	Ivy-like	b.	3
601	purpurea Dicksoni**	Mr. Dickson's	3
602	— Burridgü**	Mr. Burridge's	cr.	3
603	Nil**	(large blue)	b.	3
604	sibirica**	Siberian	flsh.	3
605	<i>Ipomopsis elegans</i>	elegant	127	fB	s.	1 $\frac{1}{2}$	6-8	6
606	picta	painted	spot.	2	...	6
607	— aurantiaca	orange	o.	6
608	superba	superb	s.	6
609	<i>Iris xiphoides</i>	(English Iris)	3	...	101	hPb	div.	1 $\frac{1}{2}$	6-7	6
610	Xiphium	(Spanish Iris)	1	...	6
611	<i>Isótoma axillaris</i>	axillary	5	...	109	gP+	b.	1 $\frac{1}{2}$	6-8	6

A— indicates a variety. () That the word is not literally translated, or is superadded.		Cl.	L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
612	<i>Ixia maculata</i> , pl. var.	spotted, mixed	3	25	101	fPb	div.	1	6-8	6
613	<i>Jasminum fruticans</i>	shrubby	2	...	102	hS	y.	4	5-9	3
614	<i>Kaulfussia amelloides</i> *	<i>Amellus-like</i>	19	54	82	hA	b.	$\frac{1}{2}$	7-8	3
615	<i>Kennedyia Baumanni</i> **	<i>Baumann's</i>	17	45	104	gS	p.	6	7-9	6
616	<i>Marryatta</i> **	<i>Mrs. Marryatt's</i>	s.	6
617	<i>monophylla</i> **	<i>single-leaved</i>	b.	6
618	<i>rotundifolia</i> **	<i>round-leaved</i>	p.	6
619	<i>rubicunda</i> **	<i>blushing</i>	r.	6
620	<i>Lantana Cammàra</i>	<i>Cammara</i>	14	59	153	sS	o.	3	5-9	6
621	<i>Sclloviana</i>	<i>Sellow's</i>	fP†	p.	1	7-9	6
622	<i>speciosa</i>	<i>showy</i>	gP†	s.	2	...	6
623	<i>Lasthenia californica</i> *	<i>Californian</i>	19	54	82	hA	y.	1	7-8	3
624	<i>Lathyrus latifolius</i> **	<i>(Everlasting Pea)</i>	17	45	104	hP†	r.	8	...	3
625	<i>latifolius albus</i> **	<i>— white</i>	w.	3
626	<i>rotundifolius</i> **	<i>round-leaved</i>	p.	1 $\frac{1}{2}$...	6
627	<i>Lavatera arborea</i>	<i>tree</i>	16	48	112	hB†	...	6	6-8	6
628	<i>hispida</i>	<i>hispid</i>	fS	pk.	6
629	<i>Weinmanni</i>	<i>Weinmann's</i>	7-8	3
630	<i>Lebretonia coccinea</i>	<i>scarlet</i>	sS	s.	10	6-8	1 0
631	<i>Leptosiphon densiflorus</i>	<i>thick-flowered</i>	5	25	127	hA	p.	$\frac{3}{4}$...	3
632	<i>androsæceus</i> *	<i>Androsæce-like</i>	div.	1	...	3
633	<i>— albus</i> *	<i>white</i>	w.	3
634	<i>— lilacinus</i> *	<i>lilac</i>	li.	3
635	<i>Leptospermum grandiflorum</i>	<i>large-flowered</i>	12	...	115	gS	w.	6	...	1 0
636	<i>Leucadendron argenteum</i>	<i>(Silver Tree)</i>	22	39	132	...	y.	8	8-9	6
637	<i>plumosum</i>	<i>feathered</i>	4	7-8	6
638	<i>Leycesteria formosa</i>	<i>beautiful</i>	5	25	77	hS	w&p	6
639	<i>Liättris elegans</i>	<i>elegant</i>	19	53	82	hPb	p.	...	8-10	6
640	<i>pycnostachya</i>	<i>dense-spiked</i>	3	...	3
641	<i>spicata</i>	<i>spiked</i>	6	...	3
642	<i>Ligularia speciosa</i>	<i>showy</i>	...	56	...	hP†	y.	2	...	3
643	<i>Lilium Martagon</i>	<i>Martagon</i>	6	25	105	hPb	div.	...	7-8	3
644	<i>speciosum hybridum</i>	<i>impregnated</i>	r&w	3	7-9	1 0
645	<i>Linnæanthus Douglassii</i>	<i>Douglas's</i>	10	...	106	hA	w&y	$\frac{3}{4}$	7-8	3
646	<i>grandiflora</i>	<i>large-flowered</i>	3
647	<i>Linaria alpina</i>	<i>alpine</i>	14	59	140	hP†	b.	1	6-9	3
648	<i>trionithophora</i>	<i>three-birds-bearing</i>	p.	6
649	<i>Lilium austriacum</i>	<i>Austrian</i>	5	30	107	...	b.	...	6-8	3
650	<i>flavum</i>	<i>yellow</i>	y.	2	...	3
651	<i>grandiflorum</i>	<i>large-flowered</i>	b.	1	...	6
652	<i>— album</i>	<i>white</i>	w.	3
653	<i>monogynum</i>	<i>one-styled</i>	1 $\frac{1}{2}$...	6
654	<i>perenne</i>	<i>perennial</i>	b.	3
655	<i>Lisianthus Russellianus</i>	<i>Duke of Bedford's</i>	...	25	95	gA	p.	3	7-9	6
656	<i>Loasa aurantiaca</i> **	<i>orange</i>	18	48	108	hP†	o.	8	...	3
657	<i>Herberti</i> **	<i>Herbert's</i>	s.	3
658	<i>tricolor</i>	<i>three-coloured</i>	hA	3col.	2	...	3
659	<i>Lobelia azurea</i>	<i>azure</i>	5	25	109	hP†	az.	$\frac{1}{2}$	6-8	6
660	<i>Erinus</i>	<i>Erinus</i>	b.	6
661	<i>— compacta</i>	<i>compact</i>	6
662	<i>— grandiflora</i>	<i>large-flowered</i>	6
663	<i>gracilis</i> *	<i>slender</i>	hA	3
664	<i>— alba</i> *	<i>white</i>	w.	3
665	<i>— rosea</i>	<i>rose</i>	ro.	3
666	<i>heterophylla</i>	<i>various-leaved</i>	hP†	b&w	1 $\frac{1}{4}$...	6
667	<i>ramosa</i>	<i>branching</i>	6
668	<i>— rubra</i>	<i>red</i>	r&w	6
669	<i>cardinalis</i>	<i>(scarlet)</i>	gP	s.	3	...	6
670	<i>secunda</i>	<i>(side-flowering)</i>	hP†	w.	$\frac{1}{2}$...	6
671	<i>siphilitica</i>	<i>(large blue)</i>	gP	b.	2	...	6

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
672	<i>Lophospermum scandens**</i>	climbing	14 59	140	gP†	ro.	10	6-9	6
673	<i>scandens Cliftoni**</i>	<i>Clifton's</i>	d.ro.	6
674	<i>— Hendersoni**</i>	<i>Henderson's</i>	0
675	<i>— spectabile**</i>	<i>showy</i>	spot.	6
676	<i>Rhodochiton**</i>	<i>Rhodochiton</i>	p.	6
677	<i>Lötus Jacobæus</i>	<i>St. James's Island</i>	17 45	104	gA	d.br.	1	7-8	6
678	<i>Jacobæus flavus</i>	<i>yellow</i>	y.	6
679	<i>Lupinus affinis</i>	<i>related</i>	16	...	hA	b&w	3
680	<i>bicolor</i>	<i>two-coloured</i>	3
681	<i>Hartwegii</i>	<i>Mr. Hartweg's</i>	b&pk	1½	...	3
682	<i>Moritzianus</i>	<i>Moritz's</i>	b.	2	...	3
683	<i>mutabilis</i>	<i>variable</i>	va.	3½	...	3
684	<i>— Cruickshanksii</i>	<i>Cruickshanks's</i>	3
685	<i>nanus</i>	<i>dwarf</i>	va.b.	1	...	3
686	<i>pulchellus</i>	<i>pretty</i>	p.b.	2	...	3
687	<i>arboreus</i>	<i>tree-like</i>	hP†	y.	6	...	3
688	<i>Douglasii</i>	<i>Douglas's</i>	b.	2	...	3
689	<i>elegans</i>	<i>elegant</i>	v&ro.	3
690	<i>hybridus albus</i>	<i>hybrid white</i>	w.	3
691	<i>— flavus</i>	<i>yellow</i>	y.	3
692	<i>— purpureo-flavus</i>	<i>purple and yellow</i>	p&y	3
693	<i>— stramineus</i>	<i>straw-coloured</i>	stra.	3
694	<i>guatemalensis</i>	<i>Guatemala</i>	d.v.	3
695	<i>polyphyllus</i>	<i>many-leaved</i>	b.	2½	...	3
696	<i>— albus</i>	<i>white</i>	w.	3
697	<i>tricolor</i>	<i>three-coloured</i>	3col.	2	...	3
698	<i>Lusania calycina</i>	<i>large-calyced</i>	14 59	140	...	w.	1	...	3
699	<i>Lychnis alpina</i>	<i>alpine</i>	10 31	143	...	pk.	½	...	3
700	<i>corsica</i>	<i>Corsican</i>	r.	1	...	3
701	<i>chalcédonica</i>	<i>(scarlet)</i>	s.	2	...	3
702	<i>— alba</i>	<i>white</i>	w.	3
703	<i>— mutabilis</i>	<i>variable</i>	va.	3
704	<i>flos-Jovis</i>	<i>Jove's Flower</i>	er.	1½	...	3
705	<i>fulgens</i>	<i>glowing</i>	fP†	s.	1	...	6
706	<i>Lýthrum roseum superbum</i>	<i>superb rose</i>	11 25	110	hP†	ro.	1½	...	3
707	<i>Màdia elegans</i>	<i>elegant</i>	19 54	82	hA	y.	3	...	3
708	<i>Magnòlia grandiflora</i>	<i>large-flowered</i>	13 35	111	hT	w.	20	6-9	6
709	<i>Mahonia, 3 sp.</i>	<i>three species sep.</i>	6 25	71	hS	y.	div.	4-7	1 0
710	<i>Malope trifida</i>	<i>trifid</i>	16 48	112	hA	r.	2	7-8	3
711	<i>trifida alba</i>	<i>white</i>	w.	3
712	<i>— grandiflora</i>	<i>large-flowered</i>	r.	3
713	<i>Malva mauritiana zebrina</i>	<i>(striped)</i>	stri.	3
714	<i>miniata</i>	<i>vermilion</i>	hS	ver.	4	...	3
715	<i>moschata</i>	<i>musk-scented</i>	hP†	flsh.	2	...	3
716	<i>— alba</i>	<i>white</i>	w.	3
717	<i>Mandevillea suaveolens**</i>	<i>fragrant</i>	5 25	66	sS	...	12	6-9	6
718	<i>Martýnia eraniolaria</i>	<i>(white-flowered)</i>	14 59	142	hhA	...	1½	7-9	6
719	<i>fragrans (formosa)</i>	<i>beautiful</i>	d.p.	6
720	<i>lutea</i>	<i>yellow</i>	y.	6
721	<i>proboscidea</i>	<i>proboscis-like</i>	l.b.	3
722	<i>Maurandya antirrhiniflora</i>	<i>Antirrhinum-fld.**</i>	...	140	gS†	p.	10	4-9	6
723	<i>Barelayana**</i>	<i>Mr. Barelay's</i>	b&w	6
724	<i>— alba**</i>	<i>white</i>	w.	6
725	<i>— rosea superba**</i>	<i>superb rose</i>	ro.	6
726	<i>sempervirens**</i>	<i>ever-flowering</i>	li.	6
727	<i>Meconopsis cambrica</i>	<i>(Welsh Poppy)</i>	13 25	123	hP†	y.	1	5-8	3
728	<i>Mesembryanthemum spectabile</i>	<i>showy</i>	12 27	92	fS	er.	6
729	<i>glabrum</i>	<i>glabrous</i>	hhA	y.	½	7-8	6
730	<i>pinnatifidum</i>	<i>pinnatifid</i>	6
731	<i>tricolor (pyropæum)</i>	<i>red</i>	f.	½	...	6

A—indicates a variety. () That the word is not literally translated, or is superadded.		L.	O.	N.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
732	Mesembryanthemum album	white	12	27	92	hhA	w.	fcct	7-8	6	
733	Mimosa marginata	bordered	23	51	104	gS	pk.	3	6-8	6	
734	Mimulus cardinalis	scarlet	14	59	140	hhP†	s.	1½	...	3	
735	cardinalis croceus	orange	o.	6	
736	— atrosanguineus	dark red	d. r.	6	
737	guttatus	spotted	spot.	1	...	3	
738	Hudsoni	Hudson's	w.	6	
739	moschatus	musk-scented	va.	½	...	3	
740	speciosus	showy	y.	1	...	3	
741	Momordica Charantia**	Charantia	21	49	86	fA	y.	5	...	6	
742	Morina elegans	elegant	2	25	88	hhP†	...	3	...	6	
743	longiflora	long-flowered	p.	6	
744	Moschæra pinnatifida	pinnatifid	19	53	82	hA	y.	...	7-8	3	
745	Myosotis palustris	(Forget-me-not)	5	25	73	hP†	b&y	1	6-9	6	
746	alpestris	alpine	b.	½	...	6	
747	Narcissus Bulbocodium	(Hoop Petticoat)	6	...	64	hPb	y.	...	5-7	6	
748	Nelumbium luteum	yellow (aquatic)	13	35	118	sP	...	trai	6-9	6	
749	Nemesis floribunda*	bunch-flowered	14	59	140	hhA	w&y	½	7-8	6	
750	versicolor*	various-coloured	va.	6	
751	Nemophila aurita	(ear-leaved)	5	25	99	hA	p.	1½	6-8	3	
752	atomaria*	spotted	w. sp.	¾	...	3	
753	— caelestis*	blue-spotted	b. sp.	3	
754	discoïdalis*	bordered	bor.	3	
755	insignis*	beauliful	b.	3	
756	— alba*	white	w.	3	
757	— grandiflora*	large-flowered	b.	3	
758	— striata	striped	stri.	3	
759	maculata	spotted	spot.	3	
760	phaeoloides	Phaelia-like	hP†	v.	1	...	3	
761	Nerium Oleander, fl. pl.	double-flowered	65	fS	r	8	6-9	6	
762	Nierembergia gracilis	slender	144	hhP†	w & li	¾	...	10	
763	Nigella hispanica	Spanish	13	30	133	hA	b.	1	7-8	3	
764	Nolana atriplicifolia	Atriplex-leaved	5	25	144	...	bwy	3	
765	paradoxa	paradoxical	3	
766	prostrata	prostrated	b.	trai	...	3	
767	Nonea rosea	rose-coloured	73	...	ro.	1½	...	3	
768	Nyctcrinia fragrans	fragrant	14	59	140	fS†	...	1	7-10	6	
769	Lychnidea	Lychnis-like	l. ro.	6	
770	Nymphaea caerulea	blue (aquatic)	13	25	118	sP	b.	trai	6-9	6	
771	Oenothera densiflora	thick-flowered	8	...	121	hA	p.	¾	7-8	3	
772	Drummondii	Mr. Drummond's	hhP†	y.	1	7-9	6	
773	macrocarpa	large-fruited	2	...	6	
774	rosea	rose	hP†	ro.	1½	6-8	3	
775	triloba	three-lobed	y.	¾	5-8	6	
776	Sellowii	Sellow's	1	6-8	3	
777	speciosa	showy	hA	w.	1½	7-8	6	
778	taraxacifolia	Taraxacum-leaved	hP†	...	½	...	6	
779	tetraptera	four-winged	hA	...	1	...	3	
780	Ononis rotundifolia	round-leaved	16	45	104	hS†	r.	3	...	6	
781	Orobis coccineus	scarlet	17	s.	1	5-6	3	
782	formosus	beautiful	p.	...	5-7	6	
783	Oxalis rosea	rose	10	30	122	hPb	ro.	...	6-8	6	
784	rubella	light red	l. r.	6	
785	Oxyura chrysanthemoides	Chrysanthemum-like	19	54	82	hA	y&w	...	7-8	3	
786	Paonia Moutan papaveracea	Papaver-like	13	26	133	hS	w.	3	5-7	10	
787	Moutan arborea	tree	l. r.	4	...	10	
788	— Banksii	Banks's	p.	3	...	10	
789	decora Pallasii	Pallas's	hPb	...	2	...	3	
790	Papaver erocum	orange	...	25	123	hP†	o.	1½	7-8	3	
791	nudicaule	naked-stalked	y.	3	

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.			L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Height.	N. of Flow.	Price.
792	Papaver orientale	oriental	13	25	123	hP+	r.	2	7-8	3	s. d.
793	— purpureum	purple	p.	3	...
794	— spectabile	showy	er.	6	...
795	pulcherrimum	beautiful	s.	6	...
796	Paspalum elegans	elegant	3	25	98	...	ap.	1½	...	3	...
797	Passiflora caerulea**	blue	16	40	124	hS	b.	15	6-9	6	...
798	Pelargonium (Geranium)	(finest mixed)	16	42	96	gS	div.	3	...	1 0	...
799	hybridum novum	(new Fancy)	1 0	...
800	zouale	girdle	s.	2	...	6	...
801	— album	white	w.	1 0	...
802	— nanum	dwarf	s.	1	...	6	...
803	— roseum	rose (Lucy)	ro.	6	...
804	— — —	Nos. 798 to 803	div.	div.	...	3 6	...
805	Pennisetum setosum	bristly	3	25	98	hA	ap.	2	...	6	...
806	Pentstemon campanulatum	bell-flowered, mixed	14	59	140	hP+	div.	3	...
807	Chandleri	Chandler's	va.	3	...
808	digitalis	Digitals-like	w.	3	...
809	Marshalli (Chelone)	Mr. Marshall's	s.	6	...
810	Murrayanum	Murray's	6	...
811	ovatum	ovate	b.	1½	...	3	...
812	pulchellum, pl. var.	pretty, mixed	div.	2	...	3	...
813	roseum	rose	ro.	3	...
814	speciosum	showy	l. b.	6	...
815	Petunia phœnicea	purple	5	25	144	hhP+	p.	3	...
816	phœnicea alba-major	large white	w.	6	...
817	— formosa	beautiful	d. p.	6	...
818	— grandiflora	large-flowered	p.	6	...
819	— — rosea	rose-coloured	r.	6	...
820	— striatiflora	striped	str.	6	...
821	nyctaginiflora	(white)	w.	3	...
822	Phalocallis plumbea	lead-coloured	3	...	101	hPb	sl.	1½	7-8	6	...
823	Phascolus Caracalla	Caracalla	17	45	104	gS	li.	2	...	6	...
824	Phlox Drummondii	Mr. Drummond's	5	25	127	hhA	div.	1½	7-9	6	...
825	Drummondii alba	white	w.	6	...
826	— coccinea	scarlet	s.	6	...
827	— Leopoldiniana	King Leopold's	er & w	6	...
828	— oculata alba	white-eyed	l & w	6	...
829	— — purpurea	purple-eyed	w & p	1 0	...
830	hybrida perennans	hybrid perennial	hP+	div.	2	...	6	...
831	Physolobium carinatum**	keel-shaped	10	...	104	gS	s.	4	6-8	6	...
832	Physostegia speciosa	showy	14	58	103	hP+	pk.	2	...	6	...
833	Pimblea decussata	decussate	2	25	147	gS	ro.	3	7-8	6	...
834	— spectabilis	showy	w & r	4	...	6	...
835	Pittosporum viridiflorum	green-flowered	5	...	125	...	gr.	6	5-6	6	...
836	Platystemon californicus	Californian	13	...	123	hA	y.	1	7-8	6	...
837	Podolèpis chrysantha*	yellow-flowered	19	54	82	hhA	6	...
838	— græcilis*	slender	pk.	6	...
839	— alba*	white	w.	6	...
840	Podotheca capitata	headed	y.	1½	...	6	...
841	Poinciana Gilliesii	Dr. Gillies's	10	25	104	gS	...	10	6-9	6	...
842	— pulcherrima	most beautiful	sS	r & y.	8	...	6	...
843	Poncelétia Sprengelioides	Sprengelia-like	5	...	89	fS	...	1	5-7	6	...
844	Portulaca grandiflora	large-flowered	11	...	130	hhA	y & p.	4	6-8	6	...
845	Gilliesii	Dr. Gillies's	r & p.	6	...
846	Thellusonii	Mr. Thelluson's	er.	6	...
847	— coccinea nova	new scarlet	sc.	6	...
848	— striatiflora	striped-flowered	w & r	6	...
849	— Thorburnii	Thorburn's	y.	6	...
850	— splendens	splendid	r.	6	...
851	Potentilla formosa	beautiful	12	35	135	hP+	p.	1	7-8	3	...

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L.	C.	L.	O.	N.	O.	H.	&	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.														feet		s. d.
852	Potentilla atosanguinea	dark blood-red	12	35	135	hP+	d. r.	1	7-8							3
853	Garnieriana	Miss Garnier's	y & r	6
854	insignis	beautiful	y.	3
855	Mackayana	Mackay's	y & pk	3
856	pulcherrima	most beautiful	y.	6
857	Primula cortusoides	Cortusa-like	5	25	131	p.	1/2	6-8								6
858	sinensis (prænitens)	Chinese	gP+	li.	1	5-7							6
859	— alba	white	w.	6
860	— fimbriata	fringed	-ro.	1 0
861	— — alba	— white	w.	1 0
862	— — pl. var.	(finest mixed)	w & ro	1 0
863	Psoralea oculata	disk-flowered	17	45	104	gS	va.	2	7-8							6
864	Ranonda pyrenæica	Pyrenean	5	25	144	hP+	p.	1/2	6-8							6
865	Ranunculus asiaticus	Asiatic (Persian)	13	35	133	hPb	div.	1	6-7							1 0
866	Renealmia corymbosa	bunch-flowered, new	3	25	101	gP	2							1 0
867	Rhodanthic Manglèsii*	Capt. Manglès'	19	54	82	hA	ro.	1	7-8							6
868	Rhododendron pl. sp.	(finest mixed)	10	25	90	hS	div.	div.	5-7							6
869	Roëlla ciliata	ciliated	5	...	75	fS+	p & w	1	6-10							1 0
870	Rosa pl. sp. et var.	(splendid mixed)	12	35	135	hS	div.	div.	5-10							1 0
871	Rudbeckia bicolor	two-coloured	19	55	82	hP+	o & br	2	7-8							6
872	fulgida	fulgid	y.	6
873	Salpiglossis sinuata	sinuated	14	59	144	hA	div.	1 1/2	7-9							6
874	sinuata Barclayana	Mr. Barclay's	br.	6
875	— grandiflora nova	new large-flowered	b.	6
876	— picta	painted	va.	6
877	— splendens	splendid	y.	6
878	— striata, nova	new striped	stri.	6
879	— straminea	straw-coloured	stra.	6
880	Salvia azurea	blue	2	25	103	hP+	b.	2	...							6
881	bicolor	two-coloured	r & w	3
882	coccinea	scarlet	hP+	s.	6
883	leucantha	white-flowered	w.	6
884	pârens	(splendid blue)	b.	3	6
885	pendula	pendulous	hP+	...	2	...							3
886	pratensis	meadow	v.	1	3
887	splendens	splendid	hP	s.	4	...							6
888	Sanguinaria canadensis	Canadian	13	...	123	hPb	w.	1 1/2	4-6							6
889	Sanvitalia procumbens	proeumbent	19	54	82	hA	y.	trai	7-8							3
890	Saponaria calabrica*	Calabrian	10	26	143	hA	r.	1/2	6-9							6
891	Saussuria pulchella	pretty	19	53	82	hP+	p.	2	7-8							6
892	Saxifraga hypnoides	Moss-like	10	26	138	hP	w.	1/2	5-6							6
893	Scabiosa columbària	Pigeon-house	4	25	88	hP	p.	1	7-8							3
894	caucàsea	Caucasian	b.	1 1/2							6
895	Schizanthus Grahàmi	Mr. Graham's	14	59	140	hA	s & o	2	...							3
896	retusus	blunt-leaved	r & o	3
897	— albus	white	w.	6
898	— superbus	superb	va.	6
899	gracilis nova	slender, new	li.	1 1/2	6
900	humilis*	dwarf	hA	li & c	1	...							3
901	obtusifolius	obtusely-leaved	va.	1 1/4							3
902	pinnatus	pinnated	lp.y.	3
903	— Priestii	Priest's	w.	3
904	— venustus	beautiful	d.py.	3
905	porrigens	spreading	va.	3
906	Schivereckia podolica	Podolian	15	60	85	hP+	r.	1/2	5-7							3
907	Schizopetalon Walkeri*	Walker's	...	61	...	hA	...	1/2	7-8							6
908	Scilla, pl. sp. et var.	(fine mixed)	6	25	105	hPb	b & w	1	5-6							6
909	Scutellaria grandiflora	large-flowered	14	58	103	hP+	r.	1 1/2	7-8							3
910	Seyphanthus elegans**	elegant	18	48	108	hP+	y.	6	...							6
911	Sedum cæruleum	blue	10	30	84	hA	b.	1/4	...							6

* *A* — indicates a variety. () That the word is not literally translated, or is superadded.

* A — indicates a variety. () That the word is not literally translated, or is superadded.		L.	O.	N.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N.	H.	Dur.	Col.	of Fl.	feet		s. d.
912	<i>Scsbanca aculeata</i>	17	45	104	sA	y.	4		7-8		6
913	<i>Silene alpestris</i>	10	28	143	hP+	w.	$\frac{1}{2}$		5-7		3
914	<i>compacta</i>	hB+	pk.	1		6-8		3
915	<i>fimbriata</i>	w.	1 $\frac{1}{2}$...		3
916	<i>ornata</i>	p.	1		...		3
917	— <i>alba nova</i>	w.		6
918	<i>pendula</i>	hA	ro.	...		7-8		3
919	<i>picta</i>	pk.		3
920	<i>regia</i>	hP+	s.		3
921	<i>Schafta</i>	ro.		6
922	<i>Solanum giganteum</i>	5	25	144	hS	v.	15		6-8	1	0
923	<i>Sollya heterophylla**</i>	125	gS	b.	6		6-9		6
924	<i>linearis**</i>	5		...		1
925	<i>Sparaxis pl. sp. et var.</i>	3	...	101	fPb	div.	1		5-6		6
926	<i>Sphenogync speciosa</i>	19	55	82	hhA	y.	...		7-8		3
927	<i>Spiraea lobata superba</i>	12	27	137	hP+	r&w.	2		...		6
928	<i>Statice Pseudo-Arméria</i>	5	30	126	...	pk.	1		...		6
929	<i>Stenactis speciosa</i>	19	54	82	...	p.	2		...		3
930	<i>Stèvia purpurea</i>	...	53	1 $\frac{1}{2}$...		3
931	<i>serrata</i>	flsh.		3
932	<i>Stipa pennata</i>	3	26	98	...	ap.	2		...		6
933	<i>Stereulia platanifolia</i>	21	49	146	T	g.	50		...		6
934	<i>Strelitzia augusta</i>	5	25	116	sPb	w.	10		5-7	1	0
935	<i>Streptocarpus Rexii</i>	2	...	72	gP+	b.	$\frac{1}{2}$		6-8		6
936	<i>Sutherlandia frutescens</i>	17	45	104	hS	s.	3		7-8		3
937	<i>grandiflora</i>		3
938	<i>Syringa vulgaris</i>	10	25	b.	8		5-6		6
939	<i>Tacsonia pinnatistipula**</i>	16	41	124	gS	ro.	15		6-9		6
940	<i>splendens**</i>	sS		1
941	<i>Tagètes lucida</i>	19	54	82	gP+	y.	1		7-8		6
942	<i>signata</i>	hhA	...	1 $\frac{1}{2}$...		3
943	<i>Telœkia speciosa</i>	hP+	...	4		...		3
944	<i>Telœpia speciosissima</i>	4	25	132	gT	s.	10		5-8	2	6
945	<i>Tephrosia grandiflora</i>	17	45	104	gS	pk.	4		5-9		6
946	<i>Thalia dealbata</i>	1	25	113	gP	b.	...		7-9		6
947	<i>Thunbergia alata**</i>	2	...	62	gP+	br&a	6		6-9		6
948	<i>alata alba**</i>	w&d		6
949	— <i>aurantiaca**</i>	o&d		6
950	— <i>Bakèri**</i>	w.		6
951	— <i>mesoleuca**</i>	o&w		6
952	— <i>sulphurea**</i>	sul.		6
953	<i>Tigridia Pavonia pl. var.</i>	16	38	101	fPb	div.	1		8-10		6
954	<i>Torœnia scabra</i>	14	59	140	gP+	b.	3		6-7		6
955	<i>Trachelium cœruleum</i>	5	25	75	hB+	...	2		7-8		3
956	<i>Tropœolum peregrinum**</i>	8	...	148	hhA	y.	6		...		6
957	<i>brachyceras**</i>	gPb+	...	4		...		6
958	<i>Jarrattii**</i>	s&y		6
959	<i>Lobbianum**</i>	gP+	o.		6
960	<i>Moritzianum**</i>	s&y		6
961	<i>pentaphyllum**</i>	gPb+	o&y		6
962	<i>hybridum**</i>	div.	1	0
963	<i>speciosum**</i>	s.		6
964	<i>tricolorum**</i>	o&p		6
965	<i>Smithianum**</i>	hP+	o.		6
966	<i>Tùlipa Gesneriana pl. var.</i>	6	...	105	hPb	div.	1 $\frac{1}{2}$		6-7		6
967	<i>Tweedia cœrulea**</i>	5	26	68	hP	b.	4		7-9		6
968	<i>Verbascum spectabile</i>	...	25	144	...	y&p	2		7-8		3
969	<i>formosum</i>	y.		3
970	<i>Verbena Aublètia</i>	14	59	153	hhB+	b	1		6-9		3
971	<i>Drummondii</i>	li.		6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
972	Verbena pulchella	pretty	14	59	153	hhB+	p.	1½	6-9	3
973	— geraniæfolia	Geranium-leaved	r.	3
974	puleherrima	most beautiful	d. r.	3
975	venosa	veiny	hhP+	ro.	1	...	3
976	Veronica speciosa	showy	2	25	140	gS	p.	3	6-8	6
977	Vinea rosea	rose	5	...	66	sS	ro.	1	3-9	6
978	roseo-alba	white	w.	6
979	Viola odorata	Sweet Violet	154	hP+	p.	...	5-7	3
980	odorata semperflorens	(Russian do.)	5-10	6
981	persicifolia	peach-leaved	crea.	...	6-7	3
982	suavis	fragrant	b.	½	...	6
983	Virgilia capensis	Cape	10	...	104	gS	p&w	4	7-9	6
984	Viscaria Cæli-rosa	Rose of Heaven	...	30	143	hA	flsh.	1	7-8	3
985	oculata	(dark-eyed)	ro.	3
986	— alba	white	w.	3
987	— rubra	red	r.	3
988	— nana	dwarf	½	...	3
989	Wahlenbergia lobelioides	Lobelia-like	5	25	75	...	b.	6
990	Watsonia, sp.	(fine species)	3	...	101	fPb	ro.	2½	7-9	6
991	Yucca aloëfolia	Aloe-leaved	6	...	105	fS	w&g	3	8-10	6
992	Zauschneria californica	Californian	8	...	121	...	s.	1½	7-9	6
993	Zieria Smithii	Smith's	4	...	136	gS	y.	3	5-7	6
994	Zinnia elegans	elegant	19	54	82	hhA	v.	2	7-10	6
995	— elegans alba	— white	w.	6
996	— atrovioleacea	— dark violet	d. v.	6
997	— aurantiaca	— orange	o.	6
998	— coccinea	— scarlet	s.	6
999	— — major	— — large	6
1000	— flava	— yellow	y.	6
1001	— kermesina	— crimson	er.	6
1002	— purpurea	— purple	p.	6
1003	— rosea	— rose-coloured	ro.	6
1004	— sanguinea	— blood-red	d. r.	6
1005	— straminea	— straw-coloured	stra.	6
1006	Zygophyllum Fabago	Fabago or Bean Caper	10	25	156	hP	o&w	4	7-8	6

The following plants are best known by the Popular Names, but as the Scientific Name is also necessary to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Caudytuft, Columbine, &c., have little or no affinity with the Latin, and are not to be considered as translations.

<i>A</i> — is employed to indicate varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1007	Aster, Chinese, mixed	<i>Aster chinensis</i> , pt. var.	19	54	82	hhA	div.	1½	8-10	3
1008	quilled German	<i>chinensis fimbriatus</i>	6
1009	— globe-flowered	— <i>globularis</i>	6
1010	— variegated	— <i>variegatus</i>	6
1011	Perfection, new ex.	— <i>pæoniæflorus</i>	10
1012	— blue	— <i>cæruleus</i>	b.	6
1013	— blue & white	— <i>cæruleo-albus</i>	b&w	6
1014	— rose	— <i>roseus</i>	ro.	6
1015	— white	— <i>albus</i>	w.	6
1016	pyramidal	— <i>pyramidalis</i>	div.	3
1017	— new (Malingre)	— <i>novus</i>	6
1018	Turkey, 2 var.	— <i>turcicus</i>	r&p	3
1019	dwarf	— <i>nanus</i>	div.	1	7-9	3
1020	Nos. 1007 to 1019	— — —	2&1	7-10	50

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
1021	Auricula, fine alpine	<i>Primula Auricula</i>	5	25	131	hP	div.	5-7	6
1022	finest prize	—	fP	2	6
1023	Balsam, fine double, m.	<i>Balsamina hortensis, fl. pl.</i>	69	tA	...	6-9	6
1024	double crimson	<i>hortensis kermesina</i>	cr.	3
1025	— pure white	— <i>alba pura</i>	w.	3
1026	— purple	— <i>purpurea</i>	p.	3
1027	— new sulphur	— <i>sulphurea nova</i>	sul.	6
1028	— rose	— <i>rosea</i>	ro.	3
1029	— scarlet	— <i>coccinea</i>	s.	3
1030	— scarlet-shaded	— <i>rosea</i>	s. sh.	3
1031	— spotted, 3 var.	— <i>punctata</i>	spot.	6
1032	— striped, 4 var.	— <i>striata</i>	stri.	6
1033	— variegated	— <i>variegata</i>	va.	3
1034	Nos. 1023 to 1033	—	div.	...	3	0
1035	Camellia-fl., m.	<i>Camellia fl.</i>	6
1036	— blue	— <i>cærulea</i>	b.	3
1037	— crimson	— <i>kermesina</i>	cr.	3
1038	— carmine	— <i>miniata</i>	car.	3
1039	— rose-coloured	— <i>rosea</i>	ro.	3
1040	— pale	— <i>pallida</i>	3
1041	— violet	— <i>violacea</i>	v.	3
1042	Nos. 1035 to 1041	—	div.	...	1	6
1043	Candytuft, fragrant*	<i>Iberis odorata</i>	15	60	85	hA	w.	1	3
1044	purple*	<i>umbellata</i>	p.	3
1045	Rocket*	— <i>coronata</i>	w.	3
1046	rose*	— <i>rosea</i>	ro.	3
1047	white*	<i>anara</i>	w.	3
1048	Canterbury Bell, pur.	<i>Campánula Medium</i>	5	25	75	hP+	p.	3	6-8
1049	lilac	<i>Medium lilacina</i>	li.	3
1050	white	— <i>alba</i>	w.	3
1051	double purple	— <i>flor-pleno</i>	p.	3
1052	— white	— <i>alba</i>	w.	3
1053	Capsicum, fine mixed	<i>Capsicum, pl. sp. & var.</i>	144	tA	...	1½	6
1054	Carnation & Picotée, d.	<i>Dianthus Caryophyllus pl.</i>	10	26	143	hP	div.	2	6-9
1055	extra fine double	<i>Caryophyllus, var. fl. pl.</i>	hP	2
1056	Catchfly, Lohel's, 2 v.*	<i>Silene Armeria</i>	hA	r & w	1	6-7
1057	Chrysanthemum tricol.	<i>Chrysanth. carinatum</i>	19	54	82	...	3col.	...	6-10
1058	new yellow	— <i>carinatum lateum</i>	y.	3
1059	showy	<i>speciosum</i>	6-9	3
1060	yellow	<i>coronarium</i>	3	7-9	3
1061	white	— <i>album</i>	w.	3
1062	Clary, purple	<i>Salvia Horminum</i>	2	25	103	...	p.	1	7-8
1063	red	<i>Horminum rubra</i>	r.	3
1064	Cockscomb, crimson	<i>Celsia cristata, nana</i>	5	...	63	tA	cr.	...	3
1065	dwarf yellow	<i>cristata latea nana</i>	y.	6
1066	tall scarlet	— <i>coccinea major</i>	s.	1½	...	6
1067	mixed tall	— <i>major, pl. var.</i>	div.	6
1068	Columbine, double	<i>Aquilegia vulgaris, fl. pl.</i>	13	30	133	hP+	b.	2	6-8
1069	double mixed	<i>vulgaris, pl. var.</i>	div.	3
1070	Convolv. major, m.**	<i>Ipomœa purpurea, pl. var.</i>	5	25	83	hhA	...	10	7-10
1071	splendid, 20 var.**	<i>purpurea, 20 var.</i>	1
1072	beautiful**	— <i>formosa</i>	pk.	3
1073	crimson**	— <i>kermesina</i>	cr.	3
1074	dark blue**	— <i>atrocærulea</i>	d. b.	3
1075	dark purple**	— <i>atropurpurea</i>	d. p.	3
1076	dark red**	— <i>atrorubens</i>	d. r.	3
1077	dark violet**	— <i>atrovioleacea</i>	d. v.	3
1078	flesh-coloured**	— <i>carnea</i>	flsh.	3
1079	large blue**	— <i>cærulea grandiflora</i>	b.	3
1080	large-flowered, m.**	— <i>grandiflora, pl. var.</i>	div.	3

<i>A — s employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1081	Convolv. major, red**	<i>Ipomœa purpurea, rubella</i>	5	25	83	hhA	l. r.	10	7-10	3
1082	lilac & red**	<i>purpurea lilacino-rubra</i>	li & r	3
1083	milk-white**	— <i>laetea</i>	w.	3
1084	mulberry**	— <i>moricolor</i>	br. r.	3
1085	rose**	— <i>rosea</i>	ro.	3
1086	spotted**	— <i>punctata</i>	spot.	3
1087	striped**	— <i>striata</i>	stri.	3
1088	violet**	— <i>violacea</i>	v.	3
1089	white**	— <i>alba</i>	w.	3
1090	red striped**	— <i>rubro-striata</i>	stri.	3
1091	Convolvulus minor	<i>Convolvulus tricolor</i>	hA	b.	1	6-9	3
1092	azure	<i>tricolor azureus</i>	az.	3
1093	dark purple	— <i>atropurpureus</i>	d. p.	3
1094	large-flowered	— <i>grandiflorus</i>	p.	3
1095	lilac	— <i>litæinus</i>	li.	3
1096	striped	— <i>striatus</i>	stri.	3
1097	violet	— <i>violaceus</i>	v.	3
1098	white & yellow	<i>bicolor</i>	w & y	3
1099	Cowslip, finest mixed*	<i>Primula elatior, pl. var.</i>	131	hP†	div.	$\frac{8}{4}$	3-7	3
1100	Cyanus, sky-blue	<i>Centaurea Cyanus</i>	19	55	82	hA	b.	2	6-9	3
1101	fine mixed	<i>Cyanus, pl. var.</i>	div.	3
1102	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	144	tA	fr. p.	...	7-8	3
1103	white	<i>ovigerum leucocarpum</i>	fr. w.	3
1104	Flos Adonis	<i>Adonis autumnalis</i>	13	35	133	hA	s.	1	6-8	3
1105	Fraxinella, white	<i>Dietamnus Fraxinella</i>	10	25	136	hP	w.	3	7-9	3
1106	red	<i>Fraxinella rubra</i>	r.	3
1107	French Honeysuckle	<i>Hedysarum coronarium</i>	17	45	104	hB†	s.	2	7-8	3
1108	white	<i>coronarium album</i>	w.	3
1109	Globe Amaranthus, p.	<i>Gomphrena globosa</i>	5	25	63	tA	p.	2½	7-9	3
1110	Gourd, Bottle	<i>Cueurbita Lagenaria</i>	21	49	86	fA	w.	trai	...	6
1111	Bottle, large	<i>Lagenaria major</i>	6
1112	— Corsican	— <i>corsicana</i>	6
1113	— Hercules' Club	— <i>elava-Herculis</i>	6
1114	— Powder Horn	— <i>cornuta</i>	6
1115	— siphon-shaped	— <i>siphonoides</i>	6
1116	Custard	<i>Melopœo, var.</i>	y.	3
1117	Elector's Bonnet	— <i>var.</i>	3
1118	Mammoth	<i>Pœpo maxima</i>	3
1119	orange	<i>aurantia</i>	3
1120	large	— <i>majior</i>	3
1121	Pear-shaped	<i>ovifera pyriformis</i>	3
1122	Turban	<i>Melopœo tiaraformis</i>	3
1123	Snake	<i>Cucumis flexuosus</i>	3
1124	Gooseberry	<i>sp. grossulariæformis</i>	3
1125	Hawkweed, red	<i>Crœpis rubra</i>	19	53	82	hA	r.	1	7-8	3
1126	white	<i>rubra alba</i>	w.	3
1127	yellow	<i>Tolpis barbata</i>	y.	3
1128	silvery	— <i>barbata argentea</i>	sil.	3
1129	Heartsease (Pansy), ex.	<i>Viola tricolor, hybrida</i>	5	25	154	hP†	div.	...	6-10	1 0
1130	Hollyhock, Antwerp	<i>Althea fleischlia</i>	16	48	112	hP	or.	7	7-9	3
1131	rose	<i>rosea</i>	ro.	3
1132	black	— <i>nigra</i>	blk.	3
1133	crimson	— <i>kermesina</i>	cr.	3
1134	purple	— <i>purpurea</i>	p.	3
1135	red	— <i>rubra</i>	r.	3
1136	white	— <i>alba</i>	w.	3
1137	yellow	— <i>flava</i>	y.	3
1138	Chinese	<i>chinensis</i>	hA	v.	2	...	3
1139	— purple	— <i>purpurea</i>	p.	3
1140	— red & white	— <i>rubro-alba</i>	r & w	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
No.										s. d.
1141	Honesty (Satin-flower)	<i>Lunaria biennis</i>	15	60	85	hB+	li & w	3	5-6	3
1142	Honeywort, large & sm.	<i>Cerinth major et minor</i>	5	25	73	hA	y & p	2 & 1	7-8	3
1143	Horn Poppy, scarlet	<i>Glaucium phæniceum</i>	13	...	123	...	s.	2	...	3
1144	yellow	<i>flavum</i>	y.	3
1145	violet	<i>Ranunculus hybrida</i>	v.	3
1146	Ice Plant	<i>Mesembryanthemum crystallinum</i>	12	27	92	hA	w. trai	1 1/2	7-9	3
1147	Jacobaea, double	<i>Senecio elegans, fl. pl.</i>	19	54	82	hA	blish.	1 1/2	...	3
1148	crimson	<i>elegans kermesina</i>	er.	3
1149	dark grey	— <i>atrocinerea</i>	d. gy	3
1150	mulberry	— <i>moricolor</i>	br. r.	3
1151	purple	— <i>purpurea</i>	p.	3
1152	red	— <i>rubra</i>	r.	3
1153	rose	— <i>rosea</i>	ro.	3
1154	violet	— <i>violacea</i>	v.	3
1155	white	— <i>alba</i>	w.	3
1156	Larkspur, d. m.	<i>Delphinium Ajacis humile</i>	13	28	133	...	div.	3/4	7-8	3
1157	dwarf, German, m.*	<i>Ajais humile, var.</i>	6
1158	— blue	— <i>humile caeleste</i>	b.	3
1159	— hyacinth-fl'd.	— <i>hyacinthiflorum</i>	div.	6
1160	— new striped	— <i>striatum novum</i>	stri.	6
1161	— rose	— <i>roseum</i>	ro.	3
1162	— unique	— <i>bicolor</i>	w & ro	3
1163	— white	— <i>album</i>	w.	3
1164	tall German, m.	— <i>elatior, pl. var.</i>	div.	1 1/2	...	3
1165	superb branching	— <i>Consolida, pl. var.</i>	2	...	6
1166	— blue	— <i>caeruleum</i>	b.	3
1167	— rose	— <i>roseum</i>	ro.	3
1168	Lavatera, red	<i>Lavatera trimestris</i>	16	48	112	3	...	3
1169	white	<i>trimestris alba</i>	w.	3
1170	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	r. trai	3
1171	pale buff	<i>caudatus pallidus</i>	bff.	3
1172	Lupinus, Dutch	<i>Lupinus canaliculatus</i>	16	45	104	...	b.	2	...	3
1173	large blue	<i>hirsutus</i>	3
1174	large rose	<i>pilosus</i>	r.	3
1175	small blue	<i>angustifolius</i>	b.	1 1/2	...	3
1176	yellow	<i>luteus</i>	y.	3
1177	straw-coloured	— <i>stramineus</i>	stra	3
1178	white	<i>albus</i>	w.	2	...	3
1179	Marigold, French, dw.	<i>Tagetes patula nana, fl. pl.</i>	19	54	82	hA	br.	1	7-9	3
1180	superb striped	<i>patula striata superba</i>	stri.	1 1/2	...	6
1181	unique	— <i>variegata</i>	y & br	3
1182	very dwarf	— <i>nanissima</i>	br.	1/2	...	6
1183	— yellow, new	— <i>lutea nova</i>	y.	6
1184	African, lemon, d.	<i>erecta citrina, fl. pl.</i>	lem.	2	...	3
1185	— orange	— <i>aurantiaca</i>	o.	3
1186	— very double	— <i>plenissima</i>	o & y	3
1187	Cape	<i>Calendula pluvialis</i>	...	56	...	hA	w & p	1	...	3
1188	hybrid	<i>hybrida</i>	w.	3
1189	double garden	<i>officinalis, fl. pl.</i>	o.	3
1190	star-flowered	<i>stellata</i>	3
1191	Marvel of Peru, red	<i>Mirabilis Jalapa rubra</i>	3	25	117	hPb+	r.	2	6-8	3
1192	gold-striped	<i>Jalapa aureo-striata</i>	stri.	3
1193	silver-striped	— <i>argenteo-striata</i>	3
1194	superb, new	— <i>superba nova</i>	6
1195	variegated	— <i>variegata</i>	va.	3
1196	white	— <i>alba</i>	w.	3
1197	yellow	— <i>flava</i>	y.	3
1198	sweet-scented	<i>longiflora</i>	w.	3
1199	— new purple	— <i>purpurea</i>	p.	3
1200	Mignonette (oz. 6d.)	<i>Reseda odorata</i>	11	28	134	hA	bff.	1	6-9	3

<i>A — is employed to indicate varieties.</i>		L.Cl.	L.O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
1201	Mignonette, new large	<i>Reseda odorata</i> major	11	28	134	hA	bff.	1	6-9	6
1202	Nasturtion, new dwarf	<i>Tropaeolum minus</i>	8	43	148	...	y & r	tra	6-9	3
1203	three-spotted	<i>minus tripunctatum</i>	spot.	3
1204	dwarf scarlet	— <i>dubium coccineum</i>	se.	1	...	3
1205	tall orange	<i>Majus aurantiacum</i> **	o.	5	...	3
1206	— carmine	— <i>miniatum</i> **	ear.	3
1207	— dark crimson	— <i>atrosanguineum</i> **	d. r.	3
1208	— Shilling's	— <i>venustum</i> **	y & r	3
1209	Palma Christi, major	<i>Ricinus major</i> **	21	49	91	hA	pale	6	...	3
1210	Pea, Lord Anson's**	<i>Lathyrus magellanicus</i>	17	45	104	hP†	b.	...	7-8	3
1211	Tangier**	<i>tingitanus</i>	hA	s.	4	...	3
1212	— striped**	— <i>striatus</i>	stri.	3
1213	winged	<i>Lotus tetragonolobus</i>	y.	1	...	3
1214	Pea, Sweet, m. (lb. 2s.)	<i>Lathyrus odoratus</i> pl. va.	div.	4	6-8	3
1215	black**	<i>odoratus niger</i>	blk.	3
1216	painted Lady**	— <i>pictus</i>	va.	3
1217	purple**	— <i>purpureus</i>	p.	3
1218	— striped**	— <i>striatus</i>	stri.	3
1219	scarlet**	— <i>coccineus</i>	s.	3
1220	striped**	— <i>striatus</i>	stri.	3
1221	white**	— <i>albus</i>	w.	3
1222	Persicaria, red	<i>Polygonum orientale</i>	8	28	129	...	r.	...	7-8	3
1223	white	<i>orientale album</i>	w.	3
1224	Polyanthus, fine	<i>Primula elatior polyantha</i>	5	25	131	hP†	div.	½	5-7	6
1225	extra fine	— — —	1 0
1226	Poppy, double	<i>Papaver somniferum</i> fl. pl.	13	25	123	hA	blk.	2	7-8	3
1227	Carnation	<i>somniferum</i> var.	flsh.	3
1228	fringed	— <i>fimbriatum</i>	s.	3
1229	scarlet	— <i>coccineum</i>	3
1230	striped	— <i>striatum</i>	r & w	3
1231	white	— <i>album</i>	w.	3
1232	new hybrid, 30 v.	— <i>hybridum novum</i>	div.	6
1233	Pæony-fl., 30 v.	— <i>peonicæstorum</i>	6
1234	superb, 20 var.	— <i>superbum</i>	6
1235	dwarf French, dou.	<i>Rhœas</i> , fl. pleno	1	...	3
1236	scarlet, do.	— <i>coccineum</i>	s.	3
1237	Primrose, common	<i>Primula vulgaris</i>	5	...	131	hP†	y.	¾	5-7	3
1238	Prince's Feather, large	<i>Amaranthus speciosus</i>	21	40	63	hA	p.	2	7-9	3
1239	common	<i>hypochondriacus</i>	3
1240	Quaking Grass	<i>Briza maxima</i>	3	26	98	...	ap.	1	...	3
1241	slender	— <i>gracilis</i>	3
1242	Rocket, purple	<i>Hesperis matronalis</i>	15	61	85	hP†	p.	...	5-8	3
1243	sweet	— <i>tristis</i>	w.	3
1244	Rose Campion	<i>Lychnis coronaria</i>	10	31	143	...	cr.	2½	6-9	3
1245	Scabious, dwarf	<i>Scabiosa nana</i>	4	25	88	hA	div.	1	7-9	3
1246	dark purple	— <i>atropurpurea</i>	hP†	p.	2	...	3
1247	splendid German	— <i>major</i> , pl. var.	hA	div.	6
1248	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	104	fS	pk.	...	6-9	6
1249	Stock, Ger., 10-week m.	<i>Matthiola an. densiflora</i>	15	61	85	hbA	div.	1	...	6
1250	German carmine	<i>annua densiflora</i> , min.	car.	6
1251	— azure	— <i>densiflora azurea</i>	az.	6
1252	— crimson	— <i>kermesina</i>	er.	6
1253	— dark carmine	— <i>atro-miniata</i>	d. car	6
1254	— dark crimson	— <i>atro-kermesina</i>	d. cr.	6
1255	— dark purple	— <i>atropurpurea</i>	d. p.	6
1256	— light blue	— <i>late-carulea</i>	l. b.	6
1257	— pale rose	— <i>rosea pallida</i>	p. ro.	6
1258	— rose	— <i>rosea</i>	ro.	6
1259	— shining bronze	— <i>cuprea fulgens</i>	cop.	6
1260	— sulphur, new	— <i>sulphurea nova</i>	sul.	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1261	Stock, Ger., variable	<i>Mathiola a. d. variabilis</i>	15	61	85	hhA	w&b	1	6-9	6
1262	— violet	<i>annua densiflora</i> var.	v.	6
1263	— white	— <i>alba</i>	w.	6
1264	large-flowd. Ger. m.	— <i>grandiflora</i> pl. var.	div.	6
1265	— carmine	— <i>miniata</i>	car.	6
1266	— blue	— <i>cærulea</i>	b.	6
1267	— dark carmine	— <i>atro-miniata</i>	d. car.	6
1268	— light blue	— <i>cærulescens</i>	l. b.	6
1269	— purple	— <i>purpurea</i>	p.	6
1270	— rose	— <i>rosea</i>	ro.	6
1271	— white	— <i>alba</i>	w.	6
1272	new dwarf Ger. m.	— <i>nana nova</i> pl. var.	div.	$\frac{1}{2}$...	6
1273	— carmine	— <i>miniata</i>	car.	6
1274	— chestnut	— <i>castanea</i>	br.	6
1275	— copper	— <i>cyprea</i>	cop.	6
1276	— dark blue	— <i>cærulea</i>	b.	6
1277	— flesh-coloured	— <i>carnea</i>	flesh.	6
1278	— white	— <i>alba</i>	w.	6
1279	Ten-week, Eng., m.	<i>ramosa</i> pl. var.	div.	$1\frac{1}{2}$...	3
1280	— purple	— <i>purpurea</i>	p.	3
1281	— scarlet	— <i>coccinea</i>	s.	3
1282	— Victoria	— <i>atropurpurea</i>	d. p.	6
1283	— white	— <i>alba</i>	w.	3
1284	— pyramidal	<i>pyramidatis</i>	3
1285	Wall-flow. Jeav., m.	<i>cheirifolia (glabrata)</i>	div.	1	...	3
1286	— purple	— <i>purpurea</i>	p.	3
1287	— scarlet	— <i>coccinea</i>	s.	3
1288	— white	— <i>alba</i>	w.	3
1289	Intermediate, m.	<i>intermedia</i> pl. var.	div.	$1\frac{1}{2}$	8-10	6
1290	— carmine	— <i>miniata</i>	car.	6
1291	— scarlet	— <i>coccinea</i>	s.	6
1292	— crimson	— <i>kermesina</i>	cr.	6
1293	— dark violet	— <i>atroviolacea</i>	d. v.	6
1294	— light blue	— <i>late-cærulea</i>	l. b.	6
1295	— rose	— <i>rosea</i>	r.	6
1296	— white	— <i>alba</i>	w.	6
1297	Queen, mixed, m.	<i>incana</i> pl. var.	hhB	div.	$1\frac{1}{2}$	5-7	3
1298	— purple	— <i>purpurea</i>	p.	3
1299	— scarlet	— <i>coccinea</i>	s.	3
1300	— white	— <i>alba</i>	w.	3
1301	Imperial, m.	— <i>semperflorens</i> pl. var.	hhPt	div.	...	5-10	6
1302	— blue	— <i>cærulea</i>	b.	6
1303	— crimson	— <i>kermesina</i>	cr.	6
1304	— purple	— <i>purpurea</i>	p.	6
1305	— lilac	— <i>lilacina</i>	li.	6
1306	— rose	— <i>rusca</i>	r.	6
1307	— white	— <i>alba</i>	w.	6
1308	Brompton, m.	<i>simplicicaulis</i> pl. var.	hhB	div.	$2\frac{1}{2}$	5-7	6
1309	— purple	— <i>purpurea</i>	p.	3
1310	— scarlet	— <i>coccinea</i>	s.	3
1311	— white	— <i>alba</i>	w.	3
1312	Sunflower, double, tall	<i>Helianthus annuus fl. pl.</i>	19	55	82	hA	y.	6	7-8	3
1313	globe-flowered	<i>annuus globalaris</i>	3
1314	double dwarf	<i>indicus flore-pleno</i>	2	...	3
1315	Californian species	<i>sp. ex. californica</i>	4	...	6
1316	Sweet Briar	<i>Rosa rubiginosa</i>	12	35	135	hS	pk.	5	5-7	3
1317	Sweet Sultan, fine	<i>Centaurea moschata</i>	19	55	82	hhA	p.	2	7-8	3
1318	— white	<i>moschata alba</i>	w.	3
1319	— yellow	<i>suavæolens</i>	y.	$1\frac{1}{2}$...	3
1320	Venus'-Looking-Glass	<i>Prismatocarpus Speculum</i>	5	25	75	hA	b.	$\frac{1}{2}$...	3

No.	s.d.	No.	s.d.	No.	s.d.
1338 Acacia, gS	6	1377 Gloxinia, 12 ^{sp.} , sSB	1 0	1416 Zinnia elegans, hHA	6
1339 Alonsôa, hhP†	6	1378 Godetia, 15 var., hA	6	1417 Aster, Germ., hHA	6
1340 Alstromeria, gPB	6	1379 Helianthemum, hP	6	1418 — Dwarf, hHA	3
1341 Anagallis, fp†orgP†	6	1380 Heliotropium, gS	6	1419 — Globe, hHA	6
1342 Anemone, hPB	6	1381 Hibiscus, gP	6	1420 — Perfection, hHA	1 0
1343 Antirrhinum, 50 v.	6	1382 Ipomaea*, gA	6	1421 — Pyramidal, hHA	6
1344 Aquilegia, hP†	6	1383 Ipomopsis, fB	6	1422 Balsam, 20 var., tA	6
1345 Azalea, hS	6	1384 Kennedya**, gS	6	1423 — Camellia, 10v.tA	6
1346 Brachycome, hHA	6	1385 Leptosiphon, hA	3	1424 — new dwf. 10v. tA	6
1347 Calceolaria, gP	1 0	1386 Leucadendron, gS	6	1425 — new rose, tA	6
1348 Calliopis, hor hHA	6	1387 Liatris, hPB	6	1426 Canterbury Bell, hP†	3
1349 Campanula, hP†	6	1388 Loisa**, hhP†	6	1427 Carnation, fin., hhP	2 6
1350 Canna, sPB†	6	1389 Lobelia, dwarf, hA	6	1428 Convolv. min.*, hA	6
1351 Chænostoma, hHA	6	1390 Lophospermum**	6	1429 — major, 20 v., hHA	1 0
1352 Chelone, hP†	6	1391 Lupinus, hA	3	1430 Gonds, fA	3
1353 Cineraria, gS	1 0	1392 Lupinus, hP†	3	1431 Heartsease, Pansy	1 0
1354 Cistus, fP	6	1393 Martynia, hHA	6	1432 Indian Pink*, 20 v.	6
1355 Clarkia elegans, hA	3	1394 Maurandya**, gSt	6	1433 Hollyhock, new, hP	1 0
1356 Clarkia pulch., hA	3	1395 Mesembryanth., hA	6	1434 Jacarara, hA	3
1357 Clematis, 8 sp. hA	1 0	1396 Mimulus, hhP†	6	1435 Larkspur, G.*, hA	6
1358 Collinsia, 3 var. hS	3	1397 Nemophila*, hA	3	1436 — Branching, G.hA	6
1359 Cuphea, hHA	6	1398 Oenothera, hP†	6	1437 Marigold, Fr., hHA	3
1360 Cyclamen, fPB	6	1399 Papænia, 12 sp., hPB	6	1438 — African, hHA	3
1361 Dahlia, dou., hhPB	6	1400 Pavèr, 4 sp., hP†	6	1439 Marvel of P., hPB†	3
1362 Delphinium, Chin.	6	1401 Passiflora**, sS	6	1440 Nasturtium**, hA	3
1363 Delphinium, hP†	6	1402 Pentstemon, hP†	6	1441 Picotee, finest, hP	2 6
1364 Dianthus, dou., hP†	6	1403 Petunia, hhP†	6	1442 Poppy, 40v. new, hA	6
1365 Digitalis, 12 v., hP†	6	1404 Phlox Drummondii	6	1443 Scabiosa, 20 v., hA	6
1366 Elichrysimum do. hHA	6	1405 Podolepis*, hHA	6	1444 Stock, Ger. l.*, hHA	1 0
1367 Elichrysium, 4 sp. gS	6	1406 Portulaca, hHA	6	1445 — 10-week, hA	3
1368 Epæris, hybrid, gS	2 6	1407 Potentilla, hP†	3	1446 — new large*, hHA	6
1369 Erica, finest, gS	2 6	1408 Primula, fringed, g	1 0	1447 — new dwarf*, hHA	6
1370 Eschscholzia, hP†	6	1409 Salpiglossis, hHA	6	1448 — Brompton, hHB	6
1371 Fuchsia, gS	1 0	1410 Schizanthus*, hA	3	1449 — Imperial, hhP†	6
1372 Gaillardia, hP†	6	1411 Schizanthus, hHA	6	1450 — Queen, hHB	3
1373 Geranium, gP	1 0	1412 Thunbergia**, gP†	6	1451 Sweet Peas*, hA	3
1374 Geum, 5 var., hP†	6	1413 Tropœolum**gPb†	1 0	1452 Sweet William, hP	6
1375 Glia tricolor, hA	3	1414 Verbena, fP†	1 0	1453 Wallflower, dou., hS	6
1376 Gladiolus, fPB	1 0	1415 Viscària, hA	3	1454 — single, 20 v., hS	6

HARDY BULBS.

	s. d.
Amayllis lutea, yellow	per doz. 2 6
— formosissima, <i>finest</i>	" 5 6
Anemone, <i>splendid new double</i>	per 100 25 0
— Emperor Alexander, <i>variegated crim.</i>	doz. 2 6
— Feu Superbe, <i>scarlet</i>	" 2 6
— L'Ornement de la Nature, <i>blue</i>	" 2 6
— La Beauté Suprême, <i>var. rose</i>	" 2 6
— Lord High Admiral, <i>crimson</i>	" 2 6
— Double mixed, <i>extra fine</i>	per lb. 6 0
— Double <i>scarlet</i> , ditto	" 10 0
— Single <i>scarlet</i>	" 8 0
— Hortensis, 50 <i>fine varieties</i>	for 12 6
— double red	per doz. 2 6
— hybrid <i>scarlet</i>	" 3 0
— <i>scarlet or flame</i>	" 2 6
Crinum capense (Amayllis longifolia)	" 1 0
— capense albidiflorum	" 1 6
Dahlia (April or May)	9s. to 18 0
Geranium tuberosum	each 0 9
Gladiolus blandus, <i>pretty</i>	" 1 0
— brevifolius, <i>short-leaved</i>	" 1 0
— concolor, <i>self-coloured</i>	" 1 0
— crispiflorus, <i>curled-flowered</i>	" 1 0
— galatius, <i>helmeted</i>	" 2 6
— hirsutus, <i>hairy</i>	" 1 0
— hybridus elegans, <i>elegant</i>	" 1 0
— trimaculatus, <i>3-spotted</i>	" 1 0
— undulatus, <i>waved</i>	" 1 0
— versicolor, <i>various-coloured</i>	" 1 0
New Seedling Gladioli.	each
Ahd'el Kader, <i>orange, white spots</i>	" 2 6
Coccineus Verus, <i>red, purple spots</i>	" 2 0
Delicatess, <i>orange, purple spots</i>	" 3 6
Duchesse d'Orléans, <i>red, white spots</i>	" 1 6
Elegantissimus, <i>purple, white spots</i>	" 3 0
Ernst Maltravers, <i>striped orange</i>	" 2 0
Fanny Elsler, <i>rose</i>	" 1 0
Grand van Nussan, <i>rose, purple spots</i>	" 2 6
Königinn der Niederlande, <i>tip</i>	" 2 0
La Gaieté, <i>scarlet, white spotted</i>	" 3 6
Lindleyanus, <i>orange</i>	" 2 6
Lisette, <i>rose, blue spots</i>	" 1 6
Lord Auckland, <i>cherry, spotted</i>	" 1 6
Lord Byron, <i>scarlet, white spots</i>	" 2 0
Lord Dudley, <i>cherry, blue spots</i>	" 2 0
Lord Palmerston, <i>rose, white spots</i>	" 2 0
L'Unique, <i>dark red, striped</i>	" 3 6
Marianne, <i>scarlet, striped</i>	" 1 6
Orange Boven, <i>striped orange</i>	" 1 6
Prince of Wales, <i>fine red, striped</i>	" 2 0
Prince of Waterloo, <i>spotted orange</i>	" 2 0
Queen of England, <i>carmine</i>	" 1 6
Rouge Eblouissante, <i>flac</i>	" 1 6
Serotinus, <i>scarlet, white spots</i>	" 1 6
12 <i>fine varieties, selected</i>	25 0
Gladiolus for Clamping.	per doz.
Gladiolus cardinalis, <i>scarlet</i>	" 3 6
— Colvillii, <i>Colville's</i>	" 3 6
— formosissimus, <i>fine red</i>	" 7 0
— gandavensis, <i>scarlet and yellow</i>	" 7 0
— insignis, <i>dark carmine, spotted</i>	" 7 0
— oppositiflorus, <i>white and rose</i>	" 3 0
— Victoria, <i>bright scarlet</i>	" 7 0
— 6 of each of the above	17 6
— 3 of do.	9 0
Iris Pavonia, <i>Peacock Iris</i>	doz. 2 6
— susiana, <i>Susian</i>	" 3 0
— tuberosa, <i>thrifrons</i>	" 3 0
— sp. fragrant, <i>Brazils</i>	each 1 6
Lilium speciosum, <i>rubrum, red, sm.</i>	1s. 6d. 3 6
— album, <i>white</i>	" 1s. 2 0
— punctatum, <i>spotted</i>	" 2s. 6d. 5 0
Pancratium illyricum, <i>Illyrian</i>	" 1 6
Pæonia chinensis, <i>Chinese</i>	" 1 6
— fragrans, <i>fragrant</i>	" 1 6
Ranunculus, <i>Persian, named</i>	100 20 0
— <i>finest mixed, 50 varieties</i>	" 7 0
— 100 new Scotch, <i>separate</i>	" 40 0
— Turban, <i>scarlet</i>	" 2 6

HARDY BULBS (continued).

	s. d.
Ranunculus, Turban d'Or, <i>orange</i>	100 5 0
— Scapabique, <i>ciltron</i>	" 6 0
— yellow (Merveilleuse)	" 3 0
— crimson purple	doz. 3 0
— Heracles, <i>white</i>	" 3 6
— Picotee Aimable, <i>spotted</i>	" 2 6
— Prince de Galatin, <i>variegated</i>	" 1 6
— red marbled	" 2 0
— scarlet Star	" 2 6
— suavelens, <i>fragrant</i>	" 1 6
1 doz. of each of the above 7 sorts	15 0
— do.	" 7 6
Tigridia Pavonia (plant in April)	" 2 0
— conchiflora do.	" 2 6
— superba do.	" 3 6
Tuberoses, double (require heat)	" 4 0

GREENHOUSE BULBS.

	s. d.
Amayllis aulica, <i>courtly</i>	each 3 6
— calyptrata, <i>neiled</i>	" 5 0
— coraëna (Brassavigia)	" 5 0
— crocata, <i>orange</i>	" 3 0
— grandiflora, <i>large-flowered</i>	" 3 6
— superba, <i>superb</i>	" 5 0
— falcata (Brassavigia)	" 5 0
— Johnsoni, <i>Johnson's</i>	" 4 0
— Josephinae (Brassavigia)	" 10 0
— orientalis (Brassavigia multiflora)	" 6 0
— purpurea (Vallota purpurea)	" 1 6
— species with large red flowers	" 3 6
— red with green stripes	" 3 6
— Rio Negro, <i>red-brown</i>	" 3 6
— white, <i>red striped</i>	" 5 0
Chilodanthus fragrans, <i>fragrant</i>	" 1 6
Crinum revolutum, <i>revolute</i>	" 2 6
— sp. fragrant, Rio de Janeiro	" 3 6
Cyrtanthus odoros, <i>fragrant</i>	" 5 0
— obliquus, <i>oblique-leaved</i>	" 5 0
— Hottentot sprays	" 5 0
Drumia, <i>speciosa Cape</i>	" 3 6
Ferraria undulata, <i>waved</i>	" 1 0
Gesneria, sp. Rio de Janeiro	" 2 6
— do. large red do.	" 3 6
Gloxinia, <i>finest mixed, doz. 10s. 6d.</i>	" 1 0
Griffonia, sp. dark blue flowers	" 5 0
— sp. light blue	" 7 0
Hæmnanthus, 4 <i>fine species, 7s. 6d.</i>	" 2 0
Pentlandia minima, <i>vermillion</i>	" 2 0
Satyrium, sp. Cape	" 2 6
Tropæolum azureum, <i>azuræ</i>	" 3 6
— brachyceras, <i>short-horned</i>	" 2 0
— tricolorum, <i>three-coloured</i>	" 1 6
— grandiflorum, <i>large-flowered</i>	" 1 6
Veltheimia viridiflora, <i>green-flowered</i>	" 2 6
Zephyranthes Atamasco, <i>Atamasco Lily</i>	" 6
— carinata, <i>keel-shaped</i>	" 1 0
— sp. Rio de Janeiro, <i>white, striped</i>	" 1 0
— Tub. flower white and fragrant, <i>Brazils</i>	" 2 6
— flower yellow, <i>fragrant</i>	" 2 6
— from the Brazils, <i>flower unknown</i>	" 2 6
— from Minas Geraes, <i>called Palmira</i>	" 1 6

* * 12, 25 or 50 Bulbs may be had at the same rate as per 100; and 3 or 6 at the same rate as per doz.

SUNDRY PLANTS.

	s. d.
Carnations, extra fine, 12 pair	20 0
Chrysanthemums, per doz. 9s., 12s.	to 18 0
Fuchsias, per doz. 9s., 12s., 15s.	" 24 0
Geraniums, per doz. 9s., 12s., 15s., 20s.	" 40 0
Heartsease or Pansies, extra fine, 9s.	" 12 0
Hollyhocks, very fine, 9s., 12s.	" 20 0
Picotees, extra fine Prince, 12 pair	" 20 0
Pinks, very fine, per 12 pair 8s.	to 12 0
Roses, Standard, doz. 15s., 24s.	" 36 0
— dwarf do. and dwarfs, 10s., 16s.	" 18 0
— China &c. in pots, 12s.	" 18 0
Verbenas, very fine, 9s., 12s.	" 18 0

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
<i>See note page 31.</i>					<i>s. d.</i>
3 and 4	Artichoke, green per oz.	9	3 to 4	Broccoli, self-protecting, per oz.	1 0
	Asparagus, Giant "	2		Lake's white "	1 0
10 to 6	Beans, <i>early sorts</i> per qt.	8		large Cornish "	1 0
	earliest dwarf Fan "	8		— Spring white "	1 0
	early Mazagan "	6		— purple "	1 0
	— long-pod "	6		late Cape "	1 6
	green long-pod "	6		— close-headed pur. "	1 0
	Johnson's Wonderful "	6		— white "	1 0
1 to 5	large Windsor "	6		London Particular "	1 0
	Taylor's do. "	6		Miller's dwarf white "	1 0
	green do. "	6		new Mammoth "	1 0
3 to 5	Beet, fine large red per oz.	3		new Victoria "	1 0
	new German "	4		Portsmouth "	1 0
	new purple-top "	4		Potter's new pink "	1 0
	Mitchel's crimson "	4		Snow's superb "	1 0
	turnip-rooted "	4		very late dwarf Danish "	1 6
	silver or Spinach Beet "	3		Wilcox large white "	1 0
	white "	3		Winter Imperial "	1 0
	Garnishing, in 3 col. per pa.	3		1 oz. 8 best for succession	8 0
3 to 4	Borcole, or Kail per oz.	3		1 " 4 do. do.	4 0
	dwarf green curled "	3		½ " 8 do. do.	4 0
	dwarf brown "	3		½ " 4 do. do.	2 0
	tall green "	3	3 to 4	Brussel Sprouts per oz.	6
	Asparagus, new "	6		imported Belgian "	1 0
	Blenheim "	4	3 to 9	Cabbage, Atkins' Matchless "	6
	Buda "	3		Barnes' early "	6
	Delaware "	3		Carter's early "	1 0
	Jerusalem "	3		Carter's Matchless "	1 0
	Knoll "	3		early Battersea "	6
	new heading "	6		— dwarf "	6
	purple "	3		— East Ham "	6
	Ragged Jack "	3		— Downe's Emperor "	6
	variegated, 3 vars. "	6		— Enfield "	6
4 to 6	Broccoli, early pur. Cape per oz.	1 0		— Hlope "	6
	Cape white "	1 6		— London Market "	6
	— green "	1 0		— Marrow, Tiley's "	1 0
3 to 5	early cauliflower "	1 0		— Nonpareil "	6
	— close-headed pur. "	1 0		— Paignton "	6
	— Grange's "	1 0		— Reliance "	1 0
	— Malta "	1 0		— Sprothro' "	6
	— October "	1 0		— Sugar-loaf "	6
	— purple "	1 0		— superfine "	1 0
	— sprouting "	1 0		— Vanack "	6
3 to 4	— Walchren "	1 6		— Wellington "	6
	— white "	1 0		— York "	6
	— Wren's "	1 0		King of the Cabbages "	6
	American, extra "	1 0		Shilling's Queen "	6
	Brimstone "	1 0		large Battersca "	6
	Chappel's cream "	1 0		— Imperial "	6
	dwarf Russian "	1 0		— Pomeranian "	1 0
	— Siberian "	1 0		— York "	6
	Elletson's gigantic "	1 0		— Drumhead "	3
	Field's new white "	1 0		1 oz. 6 finest for succession	4 0
	Hampton Court "	1 0		½ " 6 do. do.	2 0
	Howden's superb "	1 0		Red, for Pickling per oz.	6
	Impregnated wh. "	1 0		— Dutch, large "	6
	Invisible "	1 0	3 to 6	Savoy, new Ulm "	1 0

Month of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 6	Cab., dwarf green Savoy per oz.	6	4 & 5	Cucumber, short prickly, per pa.	3
	Savoy, Drumhead "	6		white Turkey "	3
	— globe "	6		<i>Prize frame varieties.</i> "	
	— Mitchel's Dwarf "	6	9 to 6	Allen's Victory of Suffolk "	1 0
	— yellow "	6		Carter's Black Spine "	1 0
	— yellow Blumenthaler "	1 0		— white spine "	1 0
3 to 8	Chou de Milan, imported "	1 0		*Colney Hatch, w. s. extra "	1 0
	Colewort (for greens) "	6		*— new black spine "	1 0
	Couve Tronchuda "	1 0		*Cuthill's black spine "	6
	Kohl-Rabi, a. g. lar. pur. "	3		Defiance "	1 0
	— above ground, ear. wh. "	6		Haden's Conqueror "	1 0
	— do. early blue "	6		*Improved Sion House "	6
	— under ground, best "	6		Kerrison's Prize "	1 0
	Thousand-headed "	3		Manchester Prize "	6
2 to 9	Carrot, early Horn per oz.	3		Man of Kent "	6
	early scarlet frame "	3		Roman Emperor "	1 0
3 to 4	long Surry "	3		*Sion House "	6
	— orange "	3		Walker's Prize-fighter "	6
	fine white, for stewing "	3		*Weedon's frame "	6
	St. James's scarlet "	3		*Webb's Invincible "	1 0
	scarlet Altringham "	3		6 finest varieties "	5 0
3 to 5	Cauliflower, early "	1 6		finest mixed "	1 0
	late "	1 6	4 & 5	Egg Plant "	3
and in August	large Asiatic "	1 6	5 to 8	Endive, green curled per oz.	6
	— Cyprus "	1 6		white curled "	6
	Radford's Giant "	1 6		green curled winter "	6
	Walcheren "	1 6		Batavian, green "	6
	1 oz. 4 best for succession "	5 0		— white "	6
	½ " 4 do. do. "	2 6	5 & 6	French Beans, dwarf dun, p. qt.	1 0
3 to 5	Cardoon, Spanish per oz.	6		dwarf Canterbury "	1 0
	new large purple "	1 0		*— dark dun "	1 0
	Celery, Giant red "	4		*— earliest forcing "	1 0
	Giant white "	4		— early prolific "	1 0
	Champion white "	6		*— Fulmer's forcing "	1 0
	Colc's solid red "	6		*— Negro "	1 0
	curled dwarf "	4		— speckled "	1 0
	Hillingdonian red "	6		tall or Scarlet Runners "	1 0
	Jones' Matchless "	4		— Dutch Case-knife "	1 0
	Lanc's new red "	6		— French Haricots "	1 0
	large-rooted Celeriac "	3		— Painted Lady "	1 0
	Law's white Giant "	4	3 to 5	Icc Plant per pa.	3
	Lion's paw "	4	4 to 5	Indian Corn, Quarantain "	3
	Manchester red "	4	3 to 5	Leck, London Flag per oz.	6
	— white "	4		Musselburg "	1 0
	Scymour's white "	4		new Giant "	1 0
	solid red "	3	3 to 9	Lettuce, Cos, Ady's "	1 0
	— white "	3		Cos, Artichoke-leaved "	1 0
	Wheeler's pink "	3		*— Bath "	1 0
	Corn Salad "	3		*— black-seeded Bath "	1 0
	new Italian "	6		— blood "	1 0
2 to 10	Cress, common per qt.	1 0		— Brighton "	1 0
	triple curled "	1 6		— Cove "	1 0
	golden per oz.	2		*— brown "	1 0
	Normandy "	2		*— Egyptian "	1 0
	perennial American "	3		— Florence "	1 0
	Water-cress per pa.	6		— green "	1 0
9 to 6	Cucumber, fine frame "	6		— Kensington, fine "	1 0
4 & 5	long prickly, per oz. 1s. "	3		— new compact "	1 0
	long Ridge "	3		*— new hardy green "	1 0
	Stockwood, extra "	6		*— white "	1 0

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
* Both for Autumn and Spring Sowing.	3 to 9 Lettuce, Cos, new spotted, p. oz.	1 0	10 to 5	Peas: I. <i>Earliest sorts.</i>	
	— Cos, Nonpareil, white "	1 0		Warner's Emperor per qt.	9
	— — green "	1 0		Prince Albert "	9
	— Paris green "	1 0		early frame 6d., Kent "	6
	— — white "	1 0		— May 6d., Warwick "	6
	— white "	1 0		— Charlton "	6
	1 oz. 6 best sorts	6 0		Auvergne "	9
	½ " 6 do. do.	3 0		Bishop's new long-pod. "	1 0
	Cabbage, Asiatic "	1 0		**Champion of Engl. "	1 0
	— Belle et Bonne "	1 0		Early blue, Eclipse "	1 0
	— blood-red "	1 0		Fairbeard's Surprise "	1 0
	* — brown Dutch "	1 0			
	— Drumhead "	1 0		II. <i>Later sorts.</i>	
	— Grand Admiral "	1 0		1 to 6 Marrow, Stub's e. blue "	1 0
	* — hardy Hammersmith "	1 0		— early green "	8
	— Imperial "	1 0		— dwarf white "	8
	— Magnum Bonum "	1 0		— dwarf green "	8
	— Malta "	1 0		— Glory of England "	8
	— Marseilles "	1 0		— matchless green "	8
	— Mogul "	1 0		— Ringwood "	8
	* — white "	1 0		— Royal Victoria "	8
	* — pink-edged "	1 0		— Woodford's green "	8
	* — Tennis-ball "	1 0			
	— Turkey "	1 0	1 to 6	III. <i>Wrinkled Marrows.**</i>	
	— Victoria "	1 0		British Queen "	1 6
	— Silesian, brown "	1 0		Carter's Victoria "	2 0
	1 oz. 6 finest sorts	5 0		Hair's dwf. Mammoth "	2 6
	½ " 6 do. do.	2 6		Knight's dwarf white "	1 0
4 to 5	Love apple (Tomato), red "	1 0		— dwarf green "	1 0
	yellow packet 3d. "	1 0		— tall white "	1 0
3 to 6	Mallow, garnishing per pa.	3		— tall blue "	1 0
2 to 10	Mustard, white per qt.	1 0		— Ne Plus Ultra "	1 6
3 to 6	Onion, blood-red per oz.	4		Superb Branching "	1 6
3 to 5	*Deptford per lb. 4s. "	4		King of the Marrows "	1 6
	Globe " 4s. "	4		Ward's Incomparable "	1 6
3 to 5	— new white "	4			
	James's keeping "	4		IV. <i>Various Peas.</i>	
3 to 8	*Lisbon "	4	1 to 6	Bedman's Imperial "	8
3 to 6	*new Giant "	6		Blue Prussian "	6
	Pickling "	6		Flack's Victory "	8
	Portugal, brown lb. 4s. "	4		Pride of Sussex "	1 0
	— white " 4s. "	4		Scimitar "	6
	*Reading " 4s. "	4		Sugar, dwarf "	1 6
	Silver-skinned "	6		10 finest for suc. 1 qt. each	10 0
	Early Nocera do. "	1 0		10 do. do. 1 pt. "	5 0
	*Spanish, brown " 4s. "	4		6 newest do. 1 qt. "	9 0
	* — white " 4s. "	4		6 do. do. 1 pt. "	4 6
	*Strasburg "	4		6 dwarfest 1 qt. "	6 0
3 to 8	*Tripoli, large flat "	6			
3 to 8	* — round "	6		The <i>Wrinkled Marrows**</i>	
	Two-bladed early "	6		(including also <i>Champion of</i>	
8 to 9	Yellow Pear "	6		England), see No. 111., form a	
	Weich "	3		distinct class, and can be highly	
3 to 8	6 finest sorts, 2 oz. each	5 0		recommended. Carter's <i>Victo-</i>	
	6 do. do. 1 do.	2 6		ria Marrow is warranted the	
3 to 8	Parsley, extra curled per oz.	3		largest and finest-flavoured of	
	Myatt's garnishing "	3		all the White Peas. II. 111. and	
	new matchless "	6		IV. all good for middle and late	
3 to 5	large-rooted Hamburg "	3		crops. <i>Royal Victoria</i> and	
	Parsnip, best large "	3		<i>Carter's Victoria</i> for very late crops.	

Month. of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price
		<i>s. d.</i>			<i>s. d.</i>
4 to 5	Pompkin, large yellow per pa.	3		Fennel Parslain, green	
	green Spanish "	3		— Florence — golden	
	Potato, early per pa. 6d. p. oz.	1 6		Horebound Rosemary	
	late " 6d. "	1 6		Hyssop Rue	
	Silver-skin " 1s. "	3 6		Lavender Sage	
1 to 9	Radish, long frame per qt.	2 0		Marjoram, pot Savory, Summer	
	Wood's new frame "	2 0		— sweet — Winter	
	early scarlet "	2 0		Orach Tarragon, plants	
	new London Particular, "	2 0		Nettle Tobacco, fumig.	
	early short topt "	2 0		Pimpernel Thyme	
	long Salmon "	2 0		Pot Marigold Wormwood	
	white Naples "	3 0		<i>Chives, Lemon Thyme and</i>	
	red Turnip per qt.	2 0		<i>Tarragon to be had in Plants</i>	
	white Turnip "	2 0		<i>only.</i>	
	mixed Turnip "	2 0			
	new olive-shaped per oz.	3		ROOTS AND PLANTS.	
	Black Spanish "	3		<i>Some of the prices variable.</i>	
4 to 6	Rampion per pa.	3		Artichokes per peck	2 6
	Rhubarb, mixed "	6		— Jerusalem "	2 0
	Royal Albert "	6		Asparagus, 2 years per 100	2 6
	Tobolsk "	6		— 3 years, large "	5 0
	Victoria "	6		— extra large, for forcing "	
	Salsafy, root per oz.	4		Garlic per lb.	1 0
	Scorzonera, root "	4		Mushroom Spawn per bush.	4 0
3 to 6	Sea Kail "	6		Potato, early ash-leaved "	6 0
	Skirret, root "	6		early Chalmore Kidney "	5 0
	Sorrel "	4		— Golden drop "	5 0
3 to 9	Spinach, round per qt.	1 0		— Shaw "	4 0
	new Gaudry per oz.	4		2nd early, Flour-ball "	4 0
	prickly per qt.	1 0		— Forty-fold "	4 0
	broad Flanders "	1 0		— Gold-finder "	4 0
3 to 6	New Zealand per oz.	6		— white-blossom "	4 0
4 to 5	Squash, fine mixed per pa.	3		late, Regents "	3 6
3 to 8	Turnip, early Dutch per oz.	3		— Jersey Blues "	3 0
	early Mousetail "	3		Rhubarb, Linneus each	1 0
	— Six-week "	3		Royal Albert "	1 0
	— Snowball "	3		Tobolsk "	1 0
	— Nonsuch "	3		Victoria "	1 0
	— Stone or Stubble "	3		Sea Kail per 100	5 0
	new black for stewing "	4		— extra large, for forcing "	
	large white "	2		Shallots per lb.	1 0
	yellow Maltese "	3		<i>And all other Seeds and</i>	
	— Dutch "	3		<i>Plants for the Kitchen Garden.</i>	
	— Preston "	3		<i>When sown before the usual</i>	
	— Stone "	3		<i>time in Spring, a hot-bed frame</i>	
	— Swedish "	2		<i>is required for Carrot, Cauli-</i>	
4 to 6	— Teltau or Märksche "	6		<i>flower, Cucumber, French Beans,</i>	
	Vegetable Marrow per pa.	3		<i>Gourds, Lettuce, Potato, Pomp-</i>	
	white, egg-shaped "	6		<i>kin, Radish, Vegetable Marrow,</i>	
				<i>and most others except Peas</i>	
				<i>and Beans.</i>	
	HERBS.			FRUIT SEEDS.	
	<i>In 3d. Packets ; or per Ounce ;</i>			No.	
	<i>to be sown in April or May.</i>			1455 Apricot per packet	6
	Angelica Borage			1456 Currant, white, red & black each	6
	Anise Buglos			1457 Gooseberry, white	6
	Balm Capsienm			1458 — red	6
	Basil, bush Chervil			1459 Grape, finest-flavoured	1 0
	— sweet Chilis				
	Benedict Clary				

		per packet			per packet
No.		s. d.	No.		s. d.
1460	Melon, Beechwood	1 0	1484	Melon, splendid large, gr.-flesh	1 0
1461	— Black Rock	6	1485	— sweet Ispahan	6
1462	— Bromham Hall, g. f.	1 0	1486	— transparent green-flesh	1 0
1463	— Busby's scarlet-flesh	1 0	1487	— Trentham Hall	1 0
1464	— Carter's green-flesh	1 0	1488	— Warted, fine flavour	1 0
1465	— Cassabar	6	1489	— white apple-flavoured	1 0
1466	— Clifton hybrid	6	1490	— white-fleshed Valencia	1 0
1467	— Colney Hatch, g. f.	1 0	1491	— mixed, 20 varieties	6
1468	— de Provence, extra	1 0	1492	— Water Melon, imported	6
1469	— Delicious, rough, g. f.	1 0	1493	— 4 fine varieties	6
1470	— Duke of Norfolk	6	1494	— Mulberry, white	6
1471	— early Cantalupe	6	1495	— black	6
1472	— — Prescot	6	1496	— Nectarine	6
1473	— fine green-flesh	6	1497	— Quince	6
1474	— fine scarlet-flesh	6	1498	— Peach	6
1475	— Ispahan	6	1499	— Pear and Apple pips	each 6
1476	— netted Persian	6	1500	— Plum, mixed	6
1477	— Pekin, fine	1 0	1501	— Raspberry, finest red	6
1478	— Royal Fitzgerald, prize	1 0	1502	— Strawberry, red Alpine	6
1479	— scarlet Roek	6	1503	— white Alpine	6
1480	— Sirdar, imported	6	1504	— British Queen	6
1481	— small orange-flesh	6	1505	— Elton Pine	6
1482	— green-flesh, delicious	6	1506	— old Pine	6
1483	— red-flesh, fine	6	1507	— finest mixed	1 0

AGRICULTURAL SEEDS.

The prices of Clover and other Agricultural Seeds are variable.

		s. d.			s. d.			s. d.
Beet, Sugar	per lb.		Turnip, Gordon, yellow	lb.		Cowgrass	per lb. or cwt.	
Broom			Hybrid, Dale's	"		Fescue, hard	bush.	
Buck Wheat	per bush.		Round, green	"		— meadow	"	
Burnet	per lb.		— red	"		— Sheep's	"	
Cabbage, Drumhead	"		— white	"		Festuca clatior	"	
— flat Scotch	"		Swedish, Ashcroft's	"		— heterophylla	"	
— large Battersen	"		— Emperor	"		— rubra	"	
— large Brunswick	"		— green-top	"		— tenuifolia	"	
— Thousand-headed	"		— purple-top	"		Foxtail, meadow	"	
Carrot, largest red	"		— Laing's	"		Holcus lanatus	"	
— large white Belgian	"		— Matson's	"		Lucern	lb.	
Chicory	"		— Skirving's	"		Oat Grass, tall	bush.	
Furze	"		Scotch, green-top	"		— yellow	"	
— French	"		— purple-top	"		Poa angustifolia	lb.	
Kohl-Rabi, green	"		Stubble	"		— nemoralis	"	
— large purple	"		Tankard, green	"		— nervosa	"	
— under-ground	"		— red	"		— pratensis	"	
Mangel Wurzel, long red	"		— white	"		— trivialis	"	
— long yellow	"		— yellow	"		Rye Grass, annual	bush.	
— globe red	"		Yellow Aberdeen	"		— evergreen	"	
— globe yellow	"					— Italian, imported	"	
Mustard, white	"					— Pacey's	"	
Parasnip, large field	"					— perennial	"	
Rape, dwarf	"					Sainfoin	"	
Turnip-rooted Cabbage, } see Kohl-Rabi	"		Agrostis stolonifera	bush.		Sweet Vernal	lb.	
Turnip, Globe, red, bush, or lb.	"		Cock'sfoot	lb.		Timothy	"	
— green	"		Clover, Alsike hybrid	lb.		Yarrow	"	
— white	"		perennial	per lb. or cwt.		Mixed for pasture	bush.	
			red	"		— for lawns	"	
			white	"				

*** Mats, Netting, and all kinds of Garden implements.*

A comprehensive Catalogue of Dutch Bulbs will be published in the Autumn.